



complete furniture components



# Bathroom Lighting Collection

Version 1



**complete furniture components**

At **SPL Components Ltd** we believe in helping our customers achieve their ideal home space to the highest quality and standard.

Our Bathroom range for 2022 features a stunning new collection of LED illuminated mirrors & mirror cabinets. All of our mirrors and cabinets are tunable white, enabling users to change the colour of the LED from warm white, natural white or to cool white to suit individual preference or decor. Some also feature Bluetooth Speakers, Shaver Sockets or USB charging ports.

We also offer a collection of bathroom lighting & accessories to complete the look of any bathroom installation.

With the combination of a fully trained technical team, and an external testing facility at our disposal, quality is assured in terms of advice, products, and service.

Please contact us to find out how we can help with your lighting requirements.

Tel: 0113 2713200

Email: [sales@splcomponentsltd.co.uk](mailto:sales@splcomponentsltd.co.uk)

[www.splcomponentsltd.co.uk](http://www.splcomponentsltd.co.uk)

# CONTENTS

Tunable LED Mirror Cabinets	4
Tunable LED Mirrors with Bluetooth Speaker	7
Tunable LED Mirrors	10
Vanity Mirror	23
Bathroom Lighting & Accessories	24
Technical Information & Pricing	26
Glossary & Terms and Conditions	30

## Our Mirrors at a Glance -

Mirror Name	Mirror Type	Part Number	Page Number	Dimensions (mm w x h)	Portrait or Landscape	Touch Sensor	Demister	Tunable White	Dimmable	Shaver Socket	USB Charging	Bluetooth Speakers
Balmoral Single	Cabinet	SY9046/SINGLE	4	550 x 700	Portrait	✓	✓	✓	✓	✓	✓	✓
Balmoral Double	Cabinet	SY9046/DOUBLE	5	800 x 700	Portrait	✓	✓	✓	✓	✓	✓	✓
Athena Single	Cabinet	SY9035	6	500 x 700	Portrait	✓	✓	✓	✓	✓		
Hamilton	Mirror	SY9015/Speaker	7	800 x 600	Landscape	✓	✓	✓	✓			✓
Windsor	Mirror	SY9016/Speaker	8	600 x 800	Portrait	✓	✓	✓	✓			✓
Windsor 2	Mirror	SY9049/Speaker	9	500 x 700	Portrait	✓	✓	✓	✓			✓
Georgia	Mirror	SY9034	10	600 dia	Round	✓	✓	✓	✓			
Langley	Mirror	SY9033	11	500 x 700	Both	✓	✓	✓	✓			
Halifax	Mirror	SY9029	12	500 x 700	Both	✓	✓	✓	✓			
Saturn 1	Mirror	SY9030	13	500 x 600	Both	✓	✓	✓	✓			
Saturn 2	Mirror	SY9031	14	900 x 600	Both	✓	✓	✓	✓			
Saturn 3	Mirror	SY9032	15	1150 x 600	Both	✓	✓	✓	✓			
Kingsbury	Mirror	SY9048	16	500 x 700	Portrait	✓	✓	✓	✓	✓		
Kingston	Mirror	SY9047	17	500 x 700	Portrait	✓	✓	✓	✓	✓		
Milton	Mirror	SY9007	18	600 x 800	Portrait	✓	✓	✓	✓			
Stratford	Mirror	SY9008	19	600 x 800	Portrait	✓	✓	✓	✓			
Sudbury	Mirror	SY9009	20	600 dia	Round	✓	✓	✓	✓			
Hera	Mirror	SY9027	21	500 x 700	Portrait	✓	✓	✓	✓	✓		
Ares	Mirror	SY9028	22	390 x 500	Portrait	✓	✓	✓	✓	✓		

# BALMORAL SINGLE TUNABLE LED MIRROR CABINET

With Bluetooth Speaker, Shaver Socket, USB Charging Port & Demister




This stunning single door illuminated LED Mirror cabinet features a whole host of features. Complete with Bluetooth Speaker, a USB charging port and a built-in shaver socket, the single door Balmoral covers all requirements.

Internally, the Balmoral has a stylish matt black design, with a mirrored panel on the inside of the door and at the rear of the cabinet, along with two adjustable height glass shelves for storing bathroom accessories. Externally, the cabinet has mirrored panels to both sides, as well as both under and over cabinet illumination for a sleek look.

The diffused illuminated border to the front of the cabinet provides a uniform light output with no dark spots. The Tunable function enables users to choose the most suitable colour temperature for their décor or individual preference, warm white, natural white or cool white. It can also be dimmed to create the desired ambience.

The mirror stays fog free due to the built-in demister pad, which switches off automatically after 30 minutes. The mirror also has an IP44 rating making it suitable for use in a bathroom environment.

Balmoral Single  
Tunable LED Mirror Cabinet  
**SY9046/SINGLE**



- SINGLE CABINET
- 550mm(w) x 700mm(h)
- Bluetooth Speaker
- Shaver Socket
- USB Charging Points
- IP44 Rated
- Diffused Border, Under & Over Cabinet Lighting
- Touch Sensor x 2
- Tunable White
- Dimmable
- Demister
- 240v
- 900mm
- 5 Year Guarantee

# BALMORAL DOUBLE TUNABLE LED MIRROR CABINET

With Bluetooth Speaker, Shaver Socket, USB Charging Port & Demister




This double door illuminated LED Mirror cabinet features a whole host of features. Complete with Bluetooth Speaker, a USB charging port and a built in shaver socket, the double door Balmoral covers all requirements.

Internally, the Balmoral has a stylish matt black design, with a mirrored panel on the inside of the door and at the rear of the cabinet, along with two adjustable height glass shelves for storing a huge amount of bathroom accessories. Externally, the cabinet has mirrored panels to both sides, as well as both under and over cabinet illumination for a sleek look.

The diffused illuminated border to the front of the cabinet provides a uniform light output with no dark spots. The Tunable function enables users to choose the most suitable colour temperature for their décor or individual preference, warm white, natural white or cool white. It can also be dimmed to create the desired ambience.

The mirror stays fog free due to the built-in demister pad, which switches off automatically after 30 minutes. The mirror also has an IP44 rating making it suitable for use in a bathroom environment.

Balmoral Double  
Tunable LED Mirror Cabinet  
**SY9046/DOUBLE**



DOUBLE CABINET

800mm(w) x 700mm(h)



Bluetooth Speaker



Shaver Socket



USB Charging Points



IP44 Rated



Diffused Border, Under & Over Cabinet Lighting



Touch Sensor x 2



Tunable White



Dimmable



Demister



240v



900mm



5 Year Guarantee



# ATHENA TUNABLE LED MIRROR CABINET

With Shaver Socket & Demister




The Athena single door illuminated LED Mirror cabinet features a built in shaver socket, & three adjustable height glass shelves within the cabinet to store bathroom accessories. A further mirrored panel is situated on the internal side of the door. Externally, the cabinet has mirrored panels to either side for a sleek look.

The stylish diffused illuminated border to the front of the cabinet provides a uniform light output with no dark spots. The Tunable function enables users to choose the most suitable colour temperature for their décor or individual preference, warm white, natural white or cool white. It can also be dimmed to create the desired ambience.

The mirror stays fog free due to the built-in demister pad, which switches off automatically after 30 minutes. The mirror also has an IP44 rating making it suitable for use in a bathroom environment.

Athena  
Tunable LED Mirror Cabinet  
**SY9035**



- SINGLE CABINET 500mm(w) x 700mm(h)
- Shaver Socket
- IP44 IP44 Rated
- DIFFUSED BORDER Diffused Border
- TOUCH SENSOR x 2 Touch Sensor x 2
- TUNABLE Tunable White
- DIMMABLE Dimmable
- DEMISTER Demister
- POWER SUPPLY 240v
- CABLE LENGTH 900mm
- 5 YEAR GUARANTEE 5 Year Guarantee

# HAMILTON TUNABLE LED MIRROR

With Bluetooth Speaker & Demister



Natural White 4000K



Warm White 2700K




Cool White 6500K

The Hamilton LED Mirror features built in dual channel Bluetooth Speakers, which enable users to stream from connected devices, such as smartphones or tablets.

It also features a diffused illuminated border, which provides a uniform light output with no dark spots. The Tunable function enables users to choose the most suitable colour temperature for their décor or individual preference; warm white, natural white or cool white. It can also be dimmed to create the desired ambience.

The mirror stays fog free due to the built-in demister pad, which switches off automatically after 30 minutes. The mirror also has an IP44 rating making it suitable for use in a bathroom environment.


Hamilton  
Tunable LED Mirror  
**SY9015/SPEAKER**



- LANDSCAPE 800mm(w) x 600mm(h)
- Bluetooth Speaker
- IP44 IP44 Rated
- DIFFUSED BORDER Diffused Border
- Touch Sensor x 2
- TUNABLE Tunable White
- DIMMABLE Dimmable
- DEMISTER Demister
- POWER SUPPLY 240v
- CABLE LENGTH 300mm
- 5 YEAR GUARANTEE 5 Year Guarantee

# WINDSOR TUNABLE LED MIRROR

With Bluetooth Speaker & Demister















The Windsor LED Mirror features built in dual channel Bluetooth Speakers, which enable users to stream from connected devices, such as smartphones or tablets.

It also features a diffused illuminated border, which provides a uniform light output with no dark spots. The Tunable function enables users to choose the most suitable colour temperature for their décor or individual preference; warm white, natural white or cool white. It can also be dimmed to create the desired ambience.

The mirror stays fog free due to the built-in demister pad, which switches off automatically after 30 minutes. The mirror also has an IP44 rating making it suitable for use in a bathroom environment.

Windsor  
Tunable LED Mirror  
**SY9016/SPEAKER**



-  600mm(w) x 800mm(h)
-  Bluetooth Speaker
-  IP44 Rated
-  Diffused Border
-  Touch Sensor x 2
-  Tunable White
-  Dimmable
-  Demister
-  240v
-  300mm
-  5 Year Guarantee



# WINDSOR 2 TUNABLE LED MIRROR

With Bluetooth Speaker & Demister



Natural White 4000K



Warm White 2700K




Cool White 6500K

The smaller-sized Windsor 2 LED Mirror features built in dual channel Bluetooth Speakers, which enable users to stream from connected devices, such as smartphones or tablets.

It also features a diffused illuminated border, which provides a uniform light output with no dark spots. The Tunable function enables users to choose the most suitable colour temperature for their décor or individual preference; warm white, natural white or cool white. It can also be dimmed to create the desired ambience.

The mirror stays fog free due to the built-in demister pad, which switches off automatically after 30 minutes. The mirror also has an IP44 rating making it suitable for use in a bathroom environment.

Windsor 2  
Tunable LED Mirror  
**SY9049/SPEAKER**



	500mm(w) x 700mm(h)
	Bluetooth Speaker
	IP44 Rated
	Diffused Border
	Touch Sensor x 2
	Tunable White
	Dimmable
	Demister
	240v
	300mm
	5 Year Guarantee

# GEORGIA TUNABLE LED MIRROR

With Black Trim & Demister



Natural White 4000K



Warm White 2700K




Cool White 6500K

The on-trend Georgia LED Mirror features a sleek black trim, and a diffused illuminated border to the face of the mirror, which provides a uniform light output with no dark spots.

The Tunable function enables users to choose the most suitable colour temperature for their décor or individual preference, warm white, natural white or cool white. It can also be dimmed to create the desired ambience.

The built in demister pad ensures a fog free mirror, and has an IP44 rating making it suitable for use in a bathroom environment.

## Georgia Tunable LED Mirror SY9034



- ROUND 600mm(dia)
- IP44 IP44 Rated
- DIFFUSED BORDER Diffused Border
- TOUCH SENSOR x 2 Touch Sensor x 2
- TUNABLE Tunable White
- DIMMABLE Dimmable
- DEMISTER Demister
- POWER SUPPLY 240v
- CABLE LENGTH 300mm
- 5 YEAR GUARANTEE 5 Year Guarantee

# LANGLEY TUNABLE LED MIRROR

With Black Trim & Demister



Natural White 4000K



Warm White 2700K




Cool White 6500K

The on-trend Langley LED Mirror features a sleek black trim, and a diffused illuminated border to the face of the mirror, which provides a uniform light output with no dark spots.

The Tunable function enables users to choose the most suitable colour temperature for their décor or individual preference, warm white, natural white or cool white. It can also be dimmed to create the desired ambience.

The built in demister pad ensures a fog free mirror, and has an IP44 rating making it suitable for use in a bathroom environment.

## Langley Tunable LED Mirror SY9033



- Portrait 500mm(w) x 700mm(h)
- Landscape 700mm(w) x 500mm(h)
- IP44 IP44 Rated
- DIFFUSED BORDER Diffused Border
- Touch Sensor x 2
- Tunable Tunable White
- Dimmable
- Demister
- 240v
- 300mm
- 5 Year Guarantee

# HALIFAX TUNABLE LED MIRROR

With Demister



Natural White 4000K



Warm White 2700K




Cool White 6500K

The Halifax LED Mirror features a diffused illuminated border to the rear of the mirror, which provides a uniform light output behind the mirror with no dark spots. The Halifax can be situated portrait or landscape.

The Tunable function enables users to choose the most suitable colour temperature for their décor or individual preference, warm white, natural white or cool white. It can also be dimmed to create the desired ambience.

The mirror stays fog free due to the built-in demister pad, which switches off automatically after 30 minutes. The mirror also has an IP44 rating making it suitable for use in a bathroom environment.

## Halifax Tunable LED Mirror SY9029



PORTRAIT	Portrait 500mm(w) x 700mm(h)
LANDSCAPE	Landscape 700mm(w) x 500mm(h)
IP44	IP44 Rated
DIFFUSED BORDER	Diffused Back-Lit Border
TOUCH SENSOR	Touch Sensor x 2
TUNABLE	Tunable White
DIMMABLE	Dimmable
DEMISTER	Demister
POWER SUPPLY	240v
CABLE LENGTH	900mm
5 YEAR GUARANTEE	5 Year Guarantee

# SATURN 1 TUNABLE LED MIRROR

With Demister



Natural White 4000K



Warm White 2700K




Cool White 6500K

The Saturn 1 LED Mirror features a diffused illuminated border to all edges of the mirror, which provides a uniform light output with no dark spots. This mirror can be positioned portrait or landscape to suit.

The Tunable function enables users to choose the most suitable colour temperature for their décor or individual preference, warm white, natural white or cool white. It can also be dimmed to create the desired ambience.

The mirror stays fog free due to the built-in demister pad, which switches off automatically after 30 minutes. The mirror also has an IP44 rating making it suitable for use in a bathroom environment.

## Saturn 1 Tunable LED Mirror SY9030



- Portrait 500mm(w) x 600mm(h)
- Landscape 600mm(w) x 500mm(h)
- IP44 IP44 Rated
- DIFFUSED BORDER Diffused Border
- Touch Sensor x 2
- Tunable Tunable White
- Dimmable Dimmable
- Demister Demister
- 240v
- 900mm
- 5 Year Guarantee



# SATURN 2 TUNABLE LED MIRROR

With Demister



Natural White 4000K



Warm White 2700K



Cool White 6500K


The Saturn 2 LED Mirror features a diffused illuminated border to all edges of the mirror, which provides a uniform light output with no dark spots. This mirror can be positioned portrait or landscape.

The Tunable function enables users to choose the most suitable colour temperature for their décor or individual preference, warm white, natural white or cool white. It can also be dimmed to create the desired ambience.

The built in demister pad ensures a fog free mirror, and has an IP44 rating making it suitable for use in a bathroom environment.

Saturn 2 Tunable LED Mirror

**SY9031**



LANDSCAPE	Landscape 900mm(w) x 600mm(h)
PORTRAIT	Portrait 600mm(w) x 900mm(h)
IP44	IP44 Rated
DIFFUSED BORDER	Diffused Border
TOUCH SENSOR	Touch Sensor x 2
TUNABLE	Tunable White
DIMMABLE	Dimmable
DEMISTER	Demister
POWER SUPPLY	240v
CABLE LENGTH	900mm
5 YEAR GUARANTEE	5 Year Guarantee

# SATURN 3 TUNABLE LED MIRROR

With Demister




The Saturn 3 LED Mirror features a diffused illuminated border to all edges of the mirror, which provides a uniform light output with no dark spots. The Saturn 3 is ideal for situating landscape over a larger unit or a double basin, but can also be positioned portrait if required.

The Tunable function enables users to choose the most suitable colour temperature for their décor or individual preference, warm white, natural white or cool white. It can also be dimmed to create the desired ambience.

The mirror stays fog free due to the built-in demister pad, which switches off automatically after 30 minutes. The mirror also has an IP44 rating making it suitable for use in a bathroom environment.

Saturn 3 Tunable LED Mirror


**SY9032**



- Landscape 1150mm(w) x 600mm(h)
- Portrait 600mm(w) x 1150mm(h)
- IP44 Rated
- Diffused Border
- Touch Sensor x 2
- Tunable White
- Dimmable
- Demister
- 240v
- 900mm
- 5 Year Guarantee

# KINGSBURY TUNABLE LED MIRROR

With Shaver Socket & Demister















This LED Mirror features a diffused illuminated border to the left and right of the mirror, which provides a uniform light output with no dark spots. The Tunable function enables users to choose the most suitable colour temperature for their décor or individual preference, warm white, natural white or cool white. It can also be dimmed to create the desired ambience.

The mirror stays fog free due to the built-in demister pad, which switches off automatically after 30 minutes. The mirror also has an IP44 rating making it suitable for use in a bathroom environment.

The Kingsbury features a Shaver Socket.

Kingsbury Tunable LED Mirror  
**SY9048**



-  Portrait 500mm(w) x 700mm(h)
-  Shaver Socket
-  IP44 Rated
-  Diffused Border
-  Touch Sensor x 2
-  Tunable White
-  Dimmable
-  Demister
-  240v
-  300mm
-  5 Year Guarantee

# KINGSTON TUNABLE LED MIRROR

With Shaver Socket & Demister



Natural White 4000K



Warm White 2700K




Cool White 6500K

This LED Mirror features a diffused illuminated border to the rear of the mirror which provides a uniform light output with no dark spots. The Tunable function enables users to choose the most suitable colour temperature for their décor or individual preference, warm white, natural white or cool white. It can also be dimmed to create the desired ambience.

The mirror stays fog free due to the built-in demister pad, which switches off automatically after 30 minutes. The mirror also has an IP44 rating making it suitable for use in a bathroom environment.

The Kingston features a Shaver Socket.

Kingston Tunable LED Mirror  
**SY9047**



- Portrait 500mm(w) x 700mm(h)
- Shaver Socket
- IP44 Rated
- Diffused Back-Lit Border
- Touch Sensor x 1
- Tunable White
- Dimmable
- Demister
- 240v
- 900mm
- 5 Year Guarantee

# MILTON TUNABLE LED MIRROR

With Demister




The Milton LED Mirror features a diffused illuminated border to all edges of the mirror, which provides a uniform light output to the mirror with no dark spots.

The Tunable function enables users to choose the most suitable colour temperature for their décor or individual preference, warm white, natural white or cool white. It can also be dimmed to create the desired ambience.

The mirror stays fog free due to the built-in demister pad, which switches off automatically after 30 minutes. The mirror also has an IP44 rating making it suitable for use in a bathroom environment.

Milton Tunable LED Mirror  
**SY9007**




- Portrait 600mm(w) x 800mm(h)
- IP44 IP44 Rated
- DIFFUSED BORDER Diffused Border
- Touch Sensor x 2
- Tunable Tunable White
- Dimmable Dimmable
- Demister
- 240v
- 300mm
- 5 Year Guarantee



# STRATFORD TUNABLE LED MIRROR

With Demister




The Stratford LED Mirror features a diffused illuminated border to all edges of the mirror, which provides a uniform light output around the mirror with no dark spots.

The Tunable function enables users to choose the most suitable colour temperature for their décor or individual preference, warm white, natural white or cool white. It can also be dimmed to create the desired ambience.

The mirror stays fog free due to the built-in demister pad, which switches off automatically after 30 minutes. The mirror also has an IP44 rating making it suitable for use in a bathroom environment.

Stratford Tunable LED Mirror  
**SY9008**



- Portrait 600mm(w) x 800mm(h)
- IP44
- IP44 Rated
- DIFFUSED BORDER
- Diffused Border
- Touch Sensor x 2
- TUNABLE
- Tunable White
- DIMMABLE
- Dimmable
- Demister
- POWER SUPPLY
- 240v
- CABLE LENGTH
- 300mm
- 5 YEAR GUARANTEE
- 5 Year Guarantee

# SUDBURY TUNABLE LED MIRROR

With Demister




The Sudbury LED Mirror features a diffused illuminated border to all edges of the mirror, which provides a uniform light output all around the mirror with no dark spots.

The Tunable function enables users to choose the most suitable colour temperature for their décor or individual preference, warm white, natural white or cool white. It can also be dimmed to create the desired ambience.

The mirror stays fog free due to the built-in demister pad, which switches off automatically after 30 minutes. The mirror also has an IP44 rating making it suitable for use in a bathroom environment.

## Sudbury Tunable LED Mirror SY9009



- 600mm(dia)
- IP44 Rated
- Diffused Border
- Touch Sensor x 2
- Tunable White
- Dimmable
- Demister
- 240v
- 300mm
- 5 Year Guarantee

# HERA TUNABLE LED MIRROR

With Shaver Socket & Demister















The Hera Tunable LED Mirror comes complete with Shaver Socket.

The Tunable function enables users to choose the most suitable colour temperature for their décor or individual preference, warm white, natural white or cool white. It can also be dimmed to create the desired ambience.

The mirror stays fog free due to the built-in demister pad, which switches off automatically after 30 minutes. The mirror also has an IP44 rating making it suitable for use in a bathroom environment.


Hera Tunable LED Mirror  
**SY9027**



-  Portrait 500mm(w) x 700mm(h)
-  Shaver Socket
-  IP44 Rated
-  Multi LED points
-  Touch Sensor x 1
-  Tunable White
-  Dimmable
-  Demister
-  240v
-  900mm
-  5 Year Guarantee

# ARES TUNABLE LED MIRROR

With Shaver Socket & Demister















The Ares comes complete with a Shaver Socket.

The Tunable function enables users to choose the most suitable colour temperature for their décor or individual preference, warm white, natural white or cool white. It can also be dimmed to create the desired ambience.

The mirror stays fog free due to the built-in demister pad, which switches off automatically after 30 minutes. The mirror also has an IP44 rating making it suitable for use in a bathroom environment.

Ares Tunable LED Mirror  
**SY9028**



-  Portrait 390mm(w) x 500mm(h)
-  Shaver Socket
-  IP44 Rated
-  Multi LED Points
-  Touch Sensor x 1
-  Tunable White
-  Dimmable
-  Demister
-  240v
-  900mm
-  5 Year Guarantee




# VANITY LED MIRRORS

## Lorraine & Titan



### Lorraine Rechargeable LED Vanity Mirror




Technical Information	
Lithium Battery	5V
Recharge Time	1.5 hours, from no charge to full charge
Charging	Via USB cable (included)
Colour Appearance	Natural White
Sensor	Touch/on/off
IP Rating	IP20
Guarantee	12 Months

Lorraine LED Vanity Mirror  
**SY9011**

The elegant Lorraine compact mirror is rechargeable using a USB cable (included), and lasts for up to 2 hours when fully charged. Simply touch the mirror to turn on or off.

The mirror comes with its own stand, but also features a reusable adhesive back to stick to surfaces such as ceramic, marble, acrylic, porcelain, enamel, and other mirrors. It also has 2 x magnification, and built in eye protection with extreme low blue light. Available in natural white which closely simulates natural daylight.

### Titan Rechargeable LED Vanity Mirror



Technical Information	
Lithium Battery	5V
Battery Capacity	4000mAh
Recharge Time	3 hours, from no charge to full charge
Charging	Via USB cable (included)
Colour Appearance	Natural White
Sensor	Touch/on/off/dimming
IP Rating	IP20
Guarantee	12 Months

Titan LED Vanity Mirror  
**SY9021**

This stylish Titan mirror features an illuminated halo ring which is activated and dimmed at the touch of the built in button. The mirror also features a sensor, which turns the light off after 20 seconds if it senses no movement. The sensor stays activated for 15 minutes so will switch the light on again if it senses further movement. After this period it will enter a sleep state and will require re-activating via the button.

It is rechargeable using a USB cable (included), and lasts for up to 2 hours when fully charged.



# BATHROOM LIGHTING

## Kinetic Smart Lighting Controls, Cabinet Lighting & LED Strip

### Kinetic Smart Lighting Controls

The new wireless Kinetic Switching system allows users to turn on their kitchen, bedroom or bathroom lighting in three different ways.

Lighting can be controlled manually by using the Wireless Kinetic Switch, through a Smart Phone or Tablet using the Smart Life App (free downloadable app via the QR code on the instruction leaflet), or by connecting it to a voice controlled intelligent personal assistant such as Amazon Alexa or Google Home.

Once connected, lighting can be operated with simple commands, such as "Alexa turn on bathroom lights" or "Google dim strip lights".




12/24Vdc Furniture Lighting Kinetic Receiver

SY2416



240V Lighting Kinetic Receiver

SY8989/NEW



1 Gang Kinetic Switch

SY8990

2 Gang Kinetic Switch

SY8991

3 Gang Kinetic Switch

SY8992

### Nova Pro Lithium Battery Light



- Silver finish
- 5V Lithium battery
- Lights for 1 month (based on 5 minutes usage per day without charge)
- 2.5 hours re-charge time
- Charge via USB-C cable (Included)
- Natural white LED
- 12 Month guarantee

The new Nova Pro lithium battery light is perfect for situating within cabinets, cupboards or drawers. The unit features a integrated PIR sensor, to automatically turn the light on when movement is sensed within a 4 metre range. When no further movement is detected after 20 seconds, the unit will turn itself off.

It features a slim, discreet profile, with a diffused natural white LED illuminated panel. It is also easily removed from its magnetic brackets for charging. USB-C charging cable included.

Nova Pro 205mm	SY9039	Nova Pro 405mm	SY9041
Nova Pro 305mm	SY9040	Nova Pro 505mm	SY9042

### IP44 LED Recessed/Surface Cabinet Light



- Brushed nickel or chrome\* finish
- 2.6W
- Requires 12Vdc power converter
- Natural or warm white LED
- IP44 Rated
- 5 Year guarantee
- 65mm (dia) 57mm (cut out)
- 16mm (depth if surface mounted)

This IP44 rated cabinet light has a diffused cover & no visible LED points. It also has a 120 degree beam angle, which fills cabinets or vanity areas, and eliminates dark spots. The fitting is IP44 rated so suitable for use in a bathroom, ideal for cabinets or shelving.

Recessed Brushed Nickel Warm or Natural White	SY7453BN/WW or NW
Surface Brushed Nickel Warm or Natural White	SY7462BN/WW or NW
Recessed Chrome Natural White	SY7453CC/NW
Surface Chrome Natural White	SY7462CC/ NW
8W 12Vdc LED Power Converter (1-3 lights)	SY9980B
15W 12Vdc LED Power Converter (1-5 lights)	SY9739B

\*Warm white only available in brushed nickel finish

### ARC Flexible LED Strip - 5m Reel



- 12Vdc (requires power converter)
- 1.5W Per metre
- Natural or warm white LED
- IP67 Rated
- 5 Year guarantee
- Cut marks every 25mm
- 60 LED's per metre
- 2m cable at both ends
- VHB (Very High Bond) Adhesive

The new super-slim ARC LED strip offers a discreet, dot-less uniform light line. It can be recessed or surface mounted into or under cabinets or cupboards, alcoves or wall features using the 3M VHB adhesive tape which is applied to each 5 metre length of strip.

The super-slim ARC can negotiate 90 degree internal and external corners without creating any dark spots, and at 1.5w per metre, it is very energy efficient. The product also comes with a 5-year warranty and is IP67 rated so it is totally waterproof and perfect for enhancing any bathroom design.

Arc 5m Reel Warm or Natural White	SY9026WW or NW
8W 12Vdc LED Power Converter (1 - 5m)	SY9980B

### Flexible LED Strip



- 12Vdc (requires power converter)
- 4W Per metre
- Natural or warm white LED
- IP65 Rated
- 5 Year guarantee
- Cut marks every 50mm
- 60 LED's per metre
- 1.5m cable on one end
- VHB (Very High Bond) Adhesive

This LED strip is available in warm or natural white, and is IP65 rated so ideal for use in a bathroom. Each length of strip includes the 1.5m distributor cable to plug into the power converter.

1m LED Strip Warm or Natural White	SY8983WW or NW
2m LED Strip Warm or Natural White	SY8984WW or NW
3m LED Strip Warm or Natural White	SY8985WW or NW
15W 12Vdc LED Power Converter (up to 3m)	SY9739B
20W 12Vdc LED Power Converter (up to 5m)	SY7350C
30W 12Vdc LED Power Converter (up to 7m)	SY7715A

# BATHROOM LIGHTING

## Plinth Lighting, LED Shelf & LED Ceiling Lighting



### 15mm Round Plinth Light

- Stainless Steel\* finish
- 0.2W per fitting
- Power converter included
- Natural or cool white LED
- IP67 Rated
- 5 Year guarantee
- 15mm (dia) 10mm (cut out)
- 39.5mm (depth)

The small and discreet recessed 15mm round plinth light is available with either cool or warm white LED, giving a choice to suit any particular bathroom design.

The plinth lights are IP67 rated, making them suitable for use in a bathroom.

15mm Plinth 4 Light Kit*	SY9936WW or CW
15mm Plinth 10 Light Kit*	SY9928A/WW or CW
15mm Plinth Additional Light	SY9937A/WW or CW

\*kit includes power converter (max 10 lights)



### IP44 Illuminated Shelf

- Aluminium/opal acrylic
- 10W (600mm) or 15W (900mm)
- 240V (no power converter required)
- Natural white LED
- IP44 Rated
- 5 Year guarantee
- 206mm (depth)
- 72mm (height)

This LED shelf features a stylish opal acrylic panel, with a natural white glow emitted through the shelf from the LED situated within the aluminium hanging bracket.

The shelf is easily installed using the included hanging brackets, and is available in 600mm or 900mm lengths. The maximum load the shelf can hold is 3 kilograms, and is suitable for installation in bathrooms zones 1 & 2.

600mm LED Illuminated Floating Shelf	SY7417A
900mm LED Illuminated Floating Shelf	SY7418A

## IP65 Switchable & Dimmable Fire Rated LED Ceiling Light



Choose from 3000k, 4000k or 6000k by simply choosing your preference using the integrated switch on the fitting. It is also fully dimmable from most standard wall dimmers, and also includes a built-in power converter.

The light output is equivalent to a 50W GU10 halogen lamp, but due to the latest LED technology it uses 85% less energy, helping to save money and the environment.

The fitting is designed to allow loft insulation to be continuously run over the back of the fitting (IC Rated), and features a loop in - loop out clip block.

- 240V Rated
- Switchable from warm/natural/cool white
- 8W
- 60° Beam Angle
- Total Lumens WW - 782lm, NW - 916lm, CW - 805lm
- IP65 Rated
- 70mm Cut Out
- 88mm (dia), 65mm (depth)
- White Finish (Chrome, Stainless Steel, Matt black & Gold Bezels available to purchase separate)
- 5 Year Guarantee

IP65 Switchable & Dimmable Fire Rated LED Ceiling Light -White Finish	SY9004WH
Chrome Bezel	SY9006CC
Stainless Steel Bezel	SY9005BN
Matt Black Bezel	SY9005BL
Gold Bezel	SY9004G

## Aspen 1 Tunable IP44 LED Ceiling Light with Bluetooth Speaker



- 240V (no power converter required)
- 17W (+6W Bluetooth speaker)
- Built-in Bluetooth speaker
- Tunable white LED (change from warm/natural/cool using remote control)
- IP44 Rated
- 5 Year guarantee
- 250mm (dia)
- 69mm (depth)

This unique ceiling light features a Bluetooth Speaker, enabling users to stream music from connected devices such as smartphones or tablets, and is also tunable white using the supplied remote control.

Choose the desired colour temperature to suit the installation, from warm white, to natural white and to cool white, as well as dim and switch on or off, by simply using the remote control. This fitting also provides a uniform light output due to the edge lit feature.

Aspen 1 Tunable IP44 LED Ceiling Light with Bluetooth Speaker	SY9012
---	--------

## Aspen 2 LED IP44 Ceiling Light



- 240V (no power converter required)
- 17W
- Natural white LED IP44 Rated
- 5 Year guarantee
- 250mm (dia)
- 60mm (depth)

This IP44 rated downlight is perfect for siting in a bathroom. Available in natural white, this fitting provides a uniform light output due to the edge lit feature.

Aspen 2 P44 LED Ceiling Light	SY9010
-------------------------------	--------

BALMORAL CABINETS

Balmoral Single



R.R.P Ex. VAT **£573.04**  
R.R.P Inc. VAT **£687.65**

Balmoral Double



R.R.P Ex. VAT **£775.96**  
R.R.P Inc. VAT **£931.15**

TECHNICAL SPEC.	Balmoral Single	Balmoral Double
Page Number	4	5
Part Number	SY9046/SINGLE	SY9046/DOUBLE
Dimensions (mm)	550 x 700 x 130	800 x 700 x 130
Colour Appearance	Tunable White	
Colour Temperature	2700K/4000K/6500K	
IP Rating	IP44	
Number of Shelves	2	

FEATURES	
Touch Sensor	✓
Demister	✓
Tunable White	✓
Dimmable	✓
Shaver Socket	✓
USB Charging Points	✓
Bluetooth Speaker	✓

ATHENA CABINET

Athena Single



R.R.P Ex. VAT **£439.56**  
R.R.P Inc. VAT **£527.47**

TECHNICAL SPEC.	Athena Single
Page Number	6
Part Number	SY9035
Dimensions (mm)	500 x 700 x 130
Colour Appearance	Tunable White
Colour Temperature	2700K/4000K/6500K
IP Rating	IP44
Number of Shelves	3

FEATURES	
Touch Sensor	✓
Demister	✓
Tunable White	✓
Dimmable	✓
Shaver Socket	✓

HAMILTON MIRROR

Hamilton




R.R.P Ex. VAT **£332.06**  
R.R.P Inc. VAT **£398.47**

TECHNICAL SPEC.	Hamilton
Page Number	7
Part Number	SY9015/SPEAKER
Dimensions (mm)	800 x 600 x 28
Colour Appearance	Tunable White
Colour Temperature	2700K/4000K/6500K
IP Rating	IP44
Portrait or Landscape	Landscape

FEATURES	
Touch Sensor	✓
Demister	✓
Tunable White	✓
Dimmable	✓
Bluetooth Speaker	✓

WINDSOR MIRRORS

Windsor



R.R.P Ex. VAT **£332.06**  
R.R.P Inc. VAT **£398.47**

Windsor 2



R.R.P Ex. VAT **£305.28**  
R.R.P Inc. VAT **£366.34**

TECHNICAL SPEC.	Windsor	Windsor 2
Page Number	8	9
Part Number	SY9016/SPEAKER	SY9049/SPEAKER
Dimensions (mm)	600 x 800 x 28	500 x 700 x 28
Colour Appearance	Tunable White	
Colour Temperature	2700K/4000K/6500K	
IP Rating	IP44	
Portrait or Landscape	Portrait	

FEATURES	
Touch Sensor	✓
Demister	✓
Tunable White	✓
Dimmable	✓
Bluetooth Speaker	✓


NOUVEAU NOIR MIRRORS

Georgia



R.R.P Ex. VAT **£246.60**  
R.R.P Inc. VAT **£295.92**

Langley




R.R.P Ex. VAT **£276.20**  
R.R.P Inc. VAT **£331.44**

TECHNICAL SPEC.	Georgia	Langley
Page Number	10	11
Part Number	SY9034	SY9033
Dimensions (mm)	600 (dia) x 32	500 x 700 x 32
Colour Appearance	Tunable White	
Colour Temperature	2700K/4000K/6500K	
IP Rating	IP44	
Portrait or Landscape	Round	Both

FEATURES	
Touch Sensor	✓
Demister	✓
Tunable White	✓
Dimmable	✓

HALIFAX MIRROR

Halifax



R.R.P Ex. VAT **£226.04**  
R.R.P Inc. VAT **£271.25**

TECHNICAL SPEC.	Halifax
Page Number	12
Part Number	SY9029
Dimensions (mm)	500 x 700 x 27
Colour Appearance	Tunable White
Colour Temperature	2700K/4000K/6500K
IP Rating	IP44
Portrait or Landscape	Both

FEATURES	
Touch Sensor	✓
Demister	✓
Tunable White	✓
Dimmable	✓

SATURN MIRRORS

Saturn 1



R.R.P Ex. VAT **£228.24**  
R.R.P Inc. VAT **£273.89**

Saturn 2



R.R.P Ex. VAT **£323.20**  
R.R.P Inc. VAT **£387.84**

Saturn 3




R.R.P Ex. VAT **£385.96**  
R.R.P Inc. VAT **£463.15**

TECHNICAL SPEC.	Saturn 1	Saturn 2	Saturn 3
Page Number	13	14	15
Part Number	SY9030	SY9031	SY9032
Dimensions (mm)	500 x 600 x 28	900 x 600 x 28	1150 x 600 x 28
Colour Appearance	Tunable White		
Colour Temperature	2700K/4000K/6500K		
IP Rating	IP44		
Portrait or Landscape	Both		

FEATURES	
Touch Sensor	✓
Demister	✓
Tunable White	✓
Dimmable	✓

KINGSBURY MIRROR




R.R.P Ex. VAT **£245.44**  
R.R.P Inc. VAT **£294.53**

TECHNICAL SPEC.	Kingsbury
Page Number	16
Part Number	SY9048
Dimensions (mm)	500 x 700 x 45
Colour Appearance	Tunable White
Colour Temperature	2700K/4000K/6500K
IP Rating	IP44
Portrait or Landscape	Portrait

FEATURES	
Touch Sensor	✓
Demister	✓
Tunable White	✓
Dimmable	✓
Shaver Socket	✓

KINGSTON MIRROR




R.R.P Ex. VAT **£295.44**  
R.R.P Inc. VAT **£354.53**

TECHNICAL SPEC.	Kingston
Page Number	17
Part Number	SY9047
Dimensions (mm)	500 x 700 x 57
Colour Appearance	Tunable White
Colour Temperature	2700K/4000K/6500K
IP Rating	IP44
Portrait or Landscape	Portrait

FEATURES	
Touch Sensor	✓
Demister	✓
Tunable White	✓
Dimmable	✓
Shaver Socket	✓

MILTON MIRROR




R.R.P Ex. VAT **£286.16**  
R.R.P Inc. VAT **£343.39**

TECHNICAL SPEC.	Milton
Page Number	18
Part Number	SY9007
Dimensions (mm)	600 x 800 x 28
Colour Appearance	Tunable White
Colour Temperature	2700K/4000K/6500K
IP Rating	IP44
Portrait or Landscape	Portrait

FEATURES	
Touch Sensor	✓
Demister	✓
Tunable White	✓
Dimmable	✓

STRATFORD MIRROR




R.R.P Ex. VAT **£286.16**  
R.R.P Inc. VAT **£343.39**

TECHNICAL SPEC.	Stratford
Page Number	19
Part Number	SY9007
Dimensions (mm)	600 x 800 x 28
Colour Appearance	Tunable White
Colour Temperature	2700K/4000K/6500K
IP Rating	IP44
Portrait or Landscape	Portrait

FEATURES	
Touch Sensor	✓
Demister	✓
Tunable White	✓
Dimmable	✓

SUDBURY MIRROR




R.R.P Ex. VAT **£231.00**  
R.R.P Inc. VAT **£277.20**

TECHNICAL SPEC.	Sudbury
Page Number	20
Part Number	SY9009
Dimensions (mm)	600 (dia) x 28
Colour Appearance	Tunable White
Colour Temperature	2700K/4000K/6500K
IP Rating	IP44
Portrait or Landscape	Round

FEATURES	
Touch Sensor	✓
Demister	✓
Tunable White	✓
Dimmable	✓


HERA & ARES MIRROR

Hera



R.R.P Ex. VAT **£215.12**  
R.R.P Inc. VAT **£258.14**

Ares




R.R.P Ex. VAT **£181.20**  
R.R.P Inc. VAT **£217.44**

TECHNICAL SPEC.	Hera	Ares
Page Number	21	22
Part Number	SY9027	SY9028
Dimensions (mm)	500 x 700 x 57	390 x 500 x 57
Colour Appearance	Tunable White	
Colour Temperature	2700K/4000K/6500K	
IP Rating	IP44	
Portrait or Landscape	Portrait	

FEATURES	
Touch Sensor	✓
Demister	✓
Tunable White	✓
Dimmable	✓
Shaver Socket	✓


VANITY MIRRORS

Lorraine



R.R.P Ex. VAT **£20.21**  
R.R.P Inc. VAT **£24.25**

Titan



R.R.P Ex. VAT **£85.00**  
R.R.P Inc. VAT **£102.00**

TECHNICAL SPEC.	Lorraine	Titan
Page Number	23	23
Part Number	SY9011	SY9021
Dimensions (mm)	155 (dia) x 16	220 (dia) x 383
Colour Appearance	Natural White	
Colour Temperature	4000K	
IP Rating	IP20	

FEATURES	
Touch Sensor	✓
Dimmable (Titan Only)	✓

Dimensions listed are (w) x (h) x (d)

## KINETIC RECEIVER 12/24VDC



R.R.P Ex. VAT **£28.28**  
R.R.P Inc. VAT **£33.94**

TECHNICAL SPEC.	Kinetic Receiver 12/24Vdc Furniture Lighting
Page Number	24
Part Number	SY2416
Dimensions (mm)	70 (w) x 45 (d) x 26 (h)
Power Supply	12/24Vdc
Maximum Load	36W (12Vdc) / 72W (24Vdc)
Control Range	80m (outdoor) / 25m (Indoor)

## KINETIC RECEIVER 240V



R.R.P Ex. VAT **£41.30**  
R.R.P Inc. VAT **£49.56**

TECHNICAL SPEC.	Kinetic Receiver 240V Lighting
Page Number	24
Part Number	SY8989NEW
Dimensions (mm)	88 (w) x 44 (d) x 30.75 (h)
Power Supply	240V
Maximum Load	100W
Control Range	80m (outdoor) / 25m (Indoor)

## KINETIC SWITCHES

1 Gang



R.R.P Ex. VAT **£18.25**  
R.R.P Inc. VAT **£21.90**

2 Gang



R.R.P Ex. VAT **£22.64**  
R.R.P Inc. VAT **£27.17**

3 Gang



R.R.P Ex. VAT **£28.60**  
R.R.P Inc. VAT **£34.32**

TECHNICAL SPEC.	1 Gang	2 Gang	3 Gang
Page Number	24	24	24
Part Number	SY8990	SY8991	SY8992
Dimensions (mm)	86 (w) X 86 (h)		
Finish	White		
IP Rating	IP67		
Connection	Wireless		
Fixing Method	Adhesive or Screw		
Control Range	80m (outdoor) / 25m (Indoor)		

## NOVA PRO BATTERY LIGHT



205mm

R.R.P Ex. VAT **£18.60**  
R.R.P Inc. VAT **£22.32**

305mm

R.R.P Ex. VAT **£20.75**  
R.R.P Inc. VAT **£24.90**

405mm

R.R.P Ex. VAT **£28.00**  
R.R.P Inc. VAT **£33.60**

505mm

R.R.P Ex. VAT **£30.25**  
R.R.P Inc. VAT **£36.30**

TECHNICAL SPEC.	205mm	305mm	405mm	505mm
Page Number	24	24	24	24
Part Number	SY9039	SY9040	SY9041	SY9042
Dimensions (mm)	205 (w) 38 (d) x 9 (h)	305 (w) 38 (d) x 9 (h)	405(w) 38 (d) x 9 (h)	505 (w) 38 (d) x 9 (h)
Colour Temperature	Natural White (4000K)			
IP Rating	IP20			
Battery Capacity	600mAh - 2400mAh			
Lithium Battery	5V			

## SIRIUS CABINET LIGHT

Recessed

Brushed Nickel/  
Warm White



Brushed Nickel/  
Natural White



Chrome/  
Natural White



R.R.P Ex. VAT **£11.37**  
R.R.P Inc. VAT **£13.64**

Surface

Brushed Nickel/  
Warm White



Brushed Nickel/  
Natural White



Chrome/  
Natural White



R.R.P Ex. VAT **£12.95**  
R.R.P Inc. VAT **£15.54**

TECHNICAL SPEC.	Recessed Sirius	Surface Sirius
Page Number	24	24
Part Number	SY7453BN/WW SY7453BN/NW SY7453CC/NW	SY7462BN/WW SY7462BN/NW SY7462CC/NW
Dimensions (mm)	65 (dia) x 12.4 (d) (57 cut out)	65 (dia) x 16 (d)
Colour Temperature	Warm White (3000K) (brushed finish only) or Natural White (4000K)	
Power Supply	12Vdc (power converter required, sold separate)	
IP Rating	IP44	
Wattage	2.6W	

## ARC IP67 LED STRIP

Warm White 5m



R.R.P Ex. VAT **£92.71**  
R.R.P Inc. VAT **£111.25**

Natural White 5m




R.R.P Ex. VAT **£92.71**  
R.R.P Inc. VAT **£111.25**

TECHNICAL SPEC.	Arc 5m Reel Warm White	Arc 5m Reel Natural White
Page Number	24	24
Part Number	SY9026WW	SY9026NW
Dimensions (mm)	7 (w) x 4 (d)	7 (w) x 4 (d)
Colour Temperature	Warm White (3000K) or Natural White (4000K)	
Power Supply	12Vdc (power converter required, sold separate)	
IP Rating	IP67	
Wattage	1.5W per metre	
Cut Marks	Every 25mm	




IP65 LED STRIP

1 Metre




R.R.P Ex. VAT **£11.76**  
R.R.P Inc. VAT **£14.11**

2 Metre



R.R.P Ex. VAT **£19.98**  
R.R.P Inc. VAT **£23.98**

3 Metre




R.R.P Ex. VAT **£28.36**  
R.R.P Inc. VAT **£34.03**

TECHNICAL SPEC.	IP65 LED Strip 3000K	IP65 LED Strip 4000K
Page Number	24	24
Part Number	1m SY8983WW 2m SY8984WW 3m SY8985WW	1m SY8983NW 2m SY8984NW 3m SY8985NW
Dimensions (mm)	8 (d) x 1.3 (h)	8 (d) x 1.3 (h)
Colour Temperature	Warm White (3000K) or Natural White (4000K)	
Power Supply	12Vdc (power converter required, sold separate)	
IP Rating	IP67	
Wattage	4W per metre	
Cut Marks	Every 25mm	


15MM ROUND PLINTH LIGHT

4 Light Kit




R.R.P Ex. VAT **£32.95**  
R.R.P Inc. VAT **£39.54**

10 Light Kit



R.R.P Ex. VAT **£54.95**  
R.R.P Inc. VAT **£65.94**

Individual



R.R.P Ex. VAT **£5.45**  
R.R.P Inc. VAT **£6.54**

TECHNICAL SPEC.	4 Light kit	10 Light Kit	Individual
Page Number	25	25	25
Part Number	SY9936WW/CW	SY9928AWW/CW	SY9936WW/CW
Dimensions (mm)	15 (dia), 39.5 (d), (10mm cut out)		
Colour Temperature	Warm White (3000K) or Cool White (6000K)		
Power Supply	12Vdc (Power converter included in kits)		
IP Rating	IP67		
Wattage	0.2W per fitting		

IP44 FLOATING SHELF

600mm



R.R.P Ex. VAT **£118.00**  
R.R.P Inc. VAT **£141.60**

900mm



R.R.P Ex. VAT **£140.00**  
R.R.P Inc. VAT **£168.00**

TECHNICAL SPEC.	Sirius Shelf 600mm	Sirius Shelf 900mm
Page Number	25	25
Part Number	SY7417A	SY7418A
Dimensions (mm)	600 (w) x 206 (d) x 72 (h)	900 (w) x 206 (d) x 72 (h)
Colour Temperature	Natural White (4000K)	
Power Supply	240v (No power converter required)	
IP Rating	IP44	
Wattage	10W	15W

ILLUMA 3



R.R.P Ex. VAT **£17.50**  
R.R.P Inc. VAT **£21.00**

Additional Bezels

  
Chrome

  
Brushed Nickel

  
Black


  
Gold

R.R.P Ex. VAT **£1.35**  
R.R.P Inc. VAT **£1.62**

TECHNICAL SPEC.	Windsor	Windsor 2			
Page Number	25	25	25	25	25
Part Number	SY9004WH	SY9005BN	SY9006CC	SY9005BK	SY9005G
Dimensions (mm)	88 (dia) x 65 (d) (70mm cut out)	88 (dia)	88 (dia)	88 (dia)	88 (dia)
Colour Temperature	Switchable (from Warm 3000K, Natural 4000K, Cool White 6000K)				
Power Supply	240V (Power converter built in)				
IP Rating	IP65				
Wattage	8W				
Beam Angle	60°				


ASPEN

Aspen 1  
(With Bluetooth Speaker)



R.R.P Ex. VAT **£69.00**  
R.R.P Inc. VAT **£82.80**

Aspen 2




R.R.P Ex. VAT **£43.99**  
R.R.P Inc. VAT **£52.79**

TECHNICAL SPEC.	Aspen 1 (with speaker)	Aspen 2
Page Number	25	25
Part Number	SY9012	SY9010
Dimensions (mm)	250 (dia) x 69 (d)	250 (dia) x 60 (d)
Colour Temperature	Tunable 3000K/4000K/6000K	Natural White (4000K)
Power Supply	240V (No power converter required)	
IP Rating	IP44	
Wattage	17W (+ 6W Speaker)	17W

12VDC POWER CONVERTERS

8W




R.R.P Ex. VAT **£8.95**  
R.R.P Inc. VAT **£10.74**

15W



R.R.P Ex. VAT **£15.85**  
R.R.P Inc. VAT **£19.02**

20W



R.R.P Ex. VAT **£21.78**  
R.R.P Inc. VAT **£26.14**








30W





R.R.P Ex. VAT **£25.00**  
R.R.P Inc. VAT **£30.00**

TECHNICAL SPEC.	8W	15W	20W	30W
Page Number	25	25	25	25
Part Number	SY9980B	SY9739B	SY7350C	SY7715A
Dimensions (mm)	92 (w) x 35 (d) x 22 (h)	102.5 (w) x 35 (d) x 16 (h)	102.5 (w) x 35 (d) x 16 (h)	149 (w) x 40 (d) x 27 (h)

# GLOSSARY & BATHROOM REGULATIONS

	Indicates the compliance with the low voltage and electromagnetic compatibility
	Indicates compliance with the applicable requirements for products sold within the UK.
	Class I lighting: includes earth protection as a complementary security measure against electrical shocks
	Class II lighting: includes a reinforced or double insulation as a protection against electrical shocks
	Class III lighting: the protection against electrical shocks comes from the supply of very low voltage tension
	Suitable for installation on normally combustible surfaces
	Suitable for use in furniture

	For indoor use only
	WEEE Compliant
<b>ROHS</b>	ROHS compliant
<b>SELV</b>	Product certified through the respective certifying body
<b>EMC</b>	Product certified through the respective certifying body
<b>TUV</b>	Product certified through the respective certifying body
<b>ITS</b>	Product certified through the respective certifying body

## BATHROOM REGULATIONS:

All installations must comply to guidelines based on the zonal requirements. These regulations apply to domestic installations only.

SycamoreLED.com recommends that all electrical work carried out is done by a suitably qualified electrician in accordance with the current IET wiring regulations (18th edition).

Bathroom lights are classified using an IP (Ingress Protection) rating. The IP characters are followed by 2 numbers which refer to the level of protection against the ingress of foreign bodies (1st number) and protection against the ingress of liquids (2nd number).


Zone 0 - is inside the bath or shower. Any fitting used in this zone must be low voltage (max 12v) and be rated at least IP67 (immersion proof).

Zone 1 - is an area above the bath to a height of 2.25m from the floor. In this zone a minimum rating of IPX4 is required.

Zone 2 - is an area stretching 0.6m outside the perimeter of the bath and to a height of 2.25m from the floor. In this zone a minimum of IPX4 is required. Around a wash basin, a radius within 60cm is considered as zone 2.

Outside zones - has no special requirements unless water jets are likely to be used for cleaning purposes.

All zones - any electrical circuits in a bathroom must be protected by a 30 mA Residual Current Device (RCD). Electrical equipment exposed to water jets for cleaning purposes must be at least IPX5.



First digit - Solids						
0	1	2	3	4	5	6
No protection	Protected against touch by hand (50mm)	Protected against touch by fingers (12mm)	Protected against tools and wires (2.5mm)	Protected against tools and small wires (1mm)	Limited dust ingress protection	Total dust ingress protection

Second digit - Liquids								
0	1	2	3	4	5	6	7	8
No protection	Protection against condensation	Protection against water spray 15 degree from the vertical	Protection against water spray 60 degree from the vertical	Protection against water spray from any direction	Protection against low pressure water jets from any direction	Protection against high pressure water jets from any direction	Protection against immersion between 15cm and 1m depth	Protection against long term immersion under pressure

# TERMS & CONDITIONS

**1. DEFINITIONS:** A) The "seller" means SPL Components Ltd. B) The "buyer" means the person who buys or agrees to buy the goods from the seller. C) The "goods" means all items which the buyer agrees to buy from the seller.

**2. GENERAL:** Orders are only accepted subject to the Conditions of Sale set out below and the seller shall not be bound by any other terms, written, verbal or implied, or which are conditions customary in the trade and whether contained in customer's order or not. These conditions shall apply unless expressly varied by the seller in writing.

**3. TERMS:** Credit accounts are nett strictly within 30 days. Interest at a rate of 3% per annum above HSBC Bank Plc base rate, together with any expenses incurred in collecting payments, will be added to the agreed price in respect of any part thereof not paid, on or before the due date. Where a new account is to be opened two trade references are required. The seller has the right to discontinue delivery without notice if the buyer defaults in payment, or if circumstances warrant such discontinuance. The seller also has the right to refuse credit terms to a buyer for any reason. Proforma orders will only be delivered when the seller has received payment in full, including confirmed clearance of any cheque.

**4. PRICES:** Whilst every endeavour will be made to deliver at the prices quoted, the seller reserves the right to invoice at the price ruling at the date of delivery. All prices are subject to VAT at the rate prevailing at the date of invoice.

**5. RISK AND DELIVERY:** A) Goods are delivered to the buyer when the seller makes them available to the buyer (or any agent of the buyer) at the seller's premises or other delivery point agreed by the seller and risk in the goods passes when they are delivered to the buyer. B) The seller shall not be liable for any penalty, loss, injury, damage or failure in delivery from any cause at all nor shall any such delay or failure entitle for any buyer to refuse to accept any delivery or to repudiate the contract. C) Any dates quoted by the seller for delivery of the goods are approximate only and shall not form part of the contract and the buyer acknowledges that in the performance expected of the seller no regard has been paid to any quoted delivery dates.

**6. CARRIAGE AND ADMINISTRATION CHARGES:** A small order management charge of £10 will be applicable on all orders under £100. Carriage charges will be subject to size/weight of the consignment. All offshore islands and EC countries will incur a separate delivery charge, based on the weight of the total order. Please note that administration and delivery charges are subject to change without prior notice.

**7. CLAIMS:** Claims must be notified in writing within seven days of receipt, otherwise responsibility cannot be accepted. The seller's liability shall be limited to, at the seller's option, replacing the goods or refunding the price of the goods. Under no circumstances shall the liability of the seller exceed the price of the goods. Replacements for damaged goods will be charged and credit issued on the return of the damaged goods to the seller in the original packaging.

**8. RETENTION OF TITLE:** A) In spite of delivery having been made, property in the goods shall not pass from the seller until payment in full of the price by the buyer. B) Notwithstanding delivery, property in the goods shall not pass from the seller until all other sums owed by the buyer to the seller have been paid in full. C) Until payment in full for the goods, the buyer shall hold the goods on a fiduciary basis as a bailee for the seller. D) Whilst the buyer has the right to dispose of the goods in the ordinary course of business on a bona-fide sale without notice to the customer of the seller's rights hereunder, the entire proceeds of sale or otherwise of the goods shall be held in trust for the seller until payment in full for the goods. E) Until payment in full for the goods the buyer hereby grants the seller the right to enter any premises where the goods are stored in order to re-possess or inspect them.

**9. BREACH AND INSOLVENCY:** If the buyer breaches any condition of this contract or becomes subject to an Administration Order or becomes bankrupt or has a receiver appointed for or distress is levied on any part of its assets or business or goes into liquidation or makes any composition with its creditors, the seller shall be entitled (whether in respect of this contract or any other) to: A) Withhold any further deliveries to the buyer and/or cancel the contract without liability. B) Appropriate any payment made by the buyer to such of the goods (whether supplied under this contract or any other) as the seller shall think fit. C) Immediate payment of all sums whatever, owing by the buyer to the seller notwithstanding any previous agreement to the contrary. D) Exercise any of its right pursuant to clause 8 above.

**10. PRODUCT INFORMATION:** Although the seller shall use its best endeavours to ensure that the information contained in the seller's catalogue is correct at the time of going to press, the seller shall not be under any liability for any damage, loss or expense resulting from any error or omission contained in the seller's catalogue. Goods supplied may vary in detail from the illustrations, drawings and descriptions (which are approximate and for guidance only) in the seller's catalogue as a result of improvements or modifications. Colour finishes will be maintained as accurately as possible, but matching cannot be guaranteed.

**11. FORCE MAJEURE:** The seller shall not be liable for any default due to any act of God, war, strikes, lock-outs or other industrial action, difficulties in obtaining labour or parts, government or other restrictions or regulations or other event beyond the reasonable control of the seller.

**12. LAW AND JURISDICTION:** All disputes arising out of or in connection with the contract shall be governed by English law and the buyer accepts the jurisdiction of the Courts Of England.

**13. RETURN AND RESTOCKING:** When goods are agreed for a return or cancellation the buyer shall pay a handling or restocking charge to cover administration and inspection charges involved in reprocessing products back into stock. The charge will be subject to change without prior notice but is currently 25% of the invoiced value of the goods. Non standard and special items ordered by the buyer cannot be accepted for return.

**14. GUARANTEES.** Terms and conditions apply to the guarantees and lamp life of our products. Please refer to our website for further details.

**15. CUT OUT SIZES AND DIMENSIONS.** These are correct at time of printing. We do not recommend any holes are cut until goods are received and checked.



**complete furniture components**

SPL Components Limited  
Units 4, 5 & 6 Lockwood Park Industrial Estate,  
Leeds, West Yorkshire, LS11 5UX

Tel: +44 (0)113 271 3200

Fax: +44 (0)113 276 1195

[sales@splcomponentsltd.co.uk](mailto:sales@splcomponentsltd.co.uk)

[www.splcomponentsltd.co.uk](http://www.splcomponentsltd.co.uk)