



complete **furniture** components



PRODUCT **CATALOGUE**

CONTENTS

Gola Profile Systems

Horizontal.....	4-5
Verticals.....	6-11
Wall Profiles.....	12
Plinths.....	13
Accessories.....	14-18

Handles

Harley & Wager.....	20-31
Pull, Cup & Knob Handles.....	32-40

Storage Solutions

Wirework.....	42-47
Bins.....	47-50

Lighting

Under Cabinet Lighting.....	52-58
Flexible Strip Lighting.....	59-63
Plinth Lighting.....	64-65
Ceiling Lighting.....	66
Pop-up Sockets.....	67
Sensors.....	68
4 Zone Control System.....	69
Drivers.....	70
Illuminated Mirrors.....	71-73

Vertical Lateral Profile

SY2444

SY2461

Vertical Intermediate Profile

SY2443

SY2460

Wall Unit Profile

SY2453


Gola Profile System

Horizontal J Profile

SY2441


Horizontal C Profile

SY2442




Horizontal J Profile


4100mm Aluminium Gola Profile



Silver
SY2441




Black
SY2441/BLK



Bronze
SY2441/BRZ



Anthracite
SY2441/ANTH



Brass
SY2441/BRASS



INFORMATION


J Profile is installed under the worktop
Requires SY2445 Fixing clips
Cutting facility available

Horizontal C Profile

4100mm Aluminium Gola Profile



Silver
SY2442




Black
SY2442/BLK




Bronze
SY2442/BRZ



Anthracite
SY2442/ANTH



Brass
SY2442/BRASS



INFORMATION


C Profile is used for drawers
Requires SY2445 Fixing clips
Cutting facility available

Vertical C Profile

2670mm Aluminium Gola Profile - 12mm Deep



Silver
SY2443



Black
SY2443/BLK



INFORMATION


Used between 2 tall cabinets
Cutting facility available

Vertical L Profile

2670mm Aluminium Gola Profile - 12mm Deep



Silver
SY2444




Black
SY2444/BLK

INFORMATION


Used on single tall cabinet
Cutting facility available

Vertical C Profile

2670mm Aluminium Gola Profile – 20mm Deep



Silver
SY2460



Black
SY2460/BLK




Bronze
SY2460/BRZ



Anthracite
SY2460/ANTH



Brass
SY2460/BRASS



INFORMATION

Used between 2 tall cabinets
Cutting facility available
20mm deep

Vertical L Profile

2670mm Aluminium Gola Profile – 20mm Deep



Silver
SY2461



Black
SY2461/BLK




Bronze
SY2461/BRZ



Anthracite
SY2461/ANTH



Brass
SY2461/BRASS



INFORMATION

Used on single tall cabinet
Cutting facility available
20mm deep

Vertical Oven Profile


For SY2460 & SY2461



Silver
SY2462



Black
SY2462/BLK



INFORMATION

Used on 20mm deep vertical profiles
Screw-in installation
Cutting facility available

Vertical Oven Profile


For SY2443 & SY2444



Silver
SY3438



Black
SY3439



INFORMATION

Used on 12mm deep vertical profiles
Screw-in installation
Cutting facility available

Wall Unit Profile

3900mm Wall Unit Profile



Silver
SY2453



Black
SY2453/BLK



Anthracite
SY2453/ANTH




Bronze
SY2453/BRZ



Brass
SY2453/Brass


INFORMATION

To be used on wall cabinets
Cutting facility available



Aluminium Plinth

3000mm Aluminium Plinth



Silver
SY2947



Black
SY2948



Silver
SY2951
90° corner
accessory



Black
SY2952
90° corner
accessory




Silver
SY2949
Junction
Accessory



Black
SY2950
Junction
Accessory


INFORMATION

Plastic dust seal included
Cutting facility available



Internal 90° Corner Accessory

For SY2441 J Profile



Silver
SY2446



Black
SY2446/BLK



Bronze
SY2446/BRZ



Anthracite
SY2446/ANTH



Brass
SY2446/BRASS



INFORMATION

Includes screws

External 90° Corner Accessory

For SY2441 J Profile



Black
SY2447/BLK



Bronze
SY2447/BRZ



Anthracite
SY2447/ANTH



Brass
SY2447/BRASS




INFORMATION

Includes screws

External 90° Corner Accessory

For SY2442 C Profile



Silver
SY2448



Black
SY2448/BLK



Bronze
SY2448/BRZ



Anthracite
SY2448/ANTH




Brass
SY2448/BRASS

INFORMATION

Includes screws

End Cap Accessory

For SY2441 J Profile




INFORMATION

Includes screws

End Cap Accessory

For SY2442 C Profile



INFORMATION

Includes screws


Fixing Clips

Black Fixing Clips for Horizontal Profile



Black
SY2445





Handles

CHELMSFORD

Knurled Handle


HARLEY & WAGER



Code	Type	Finish	Dimensions	Centres
SY3768	Pull	Satin Nickel	L220mm x D37mm	160mm
SY3928	Pull	Brushed Brass	L220mm x D37mm	160mm
SY3672	Pull	Antique Brass	L220mm x D37mm	160mm
SY3931	Pull	Black	L220mm x D37mm	160mm
SY3769	Pull	Satin Nickel	L384mm x D37mm	320mm
SY3829	Pull	Brushed Brass	L384mm x D37mm	320mm
SY3767	Pull	Antique Brass	L384mm x D37mm	320mm
SY3932	Pull	Black	L384mm x D37mm	320mm
SY3674	Knob	Satin Nickel	Dia32mm x D29mm	
SY3930	Knob	Brushed Brass	Dia32mm x D29mm	
SY3673	Knob	Antique Brass	Dia32mm x D29mm	
SY3722	Knob	Black	Dia32mm x D29mm	

Aintree


Contemporary T-bar Handle



Code	Type	Finish	Dimensions	Centres
SY3601	Bar	Brass	L218mm x D30mm	160mm
SY3603	Bar	Black	L218mm x D30mm	160mm
SY3660	Bar	Dark Brushed Brass	L218mm x D30mm	160mm
SY3761	Knob	Brass	L48mm x D30mm	
SY3604	Knob	Black	L48mm x D30mm	
SY3602	Knob	Dark Brushed Brass	L48mm x D30mm	

Ascot

Designer Ribbed Bar Handle




Code	Type	Finish	Dimensions	Centres
SY3591	Bar	Brass	L195mm x D23mm	160mm
SY3596	Bar	Black	L195mm x D23mm	160mm

Ascot

Semi Circle Pull Handle



HARLEY & WAGER




Code	Type	Finish	Dimensions	Centres
SY3592	Smooth	Brass	L80mm x W38mm x D25mm	64mm
SY3597	Smooth	Black	L80mm x W38mm x D25mm	64mm
SY3589	Ribbed	Brass	L80mm x W38mm x D25mm	64mm
SY3598	Ribbed	Black	L80mm x W38mm x D25mm	64mm

Ascot

Ribbed Semi Circle Pull Handle



HARLEY & WAGER



Code	Type	Finish	Dimensions	Centres
SY3762	Pull	Black	L90mm x W32mm x D22mm	64mm
SY3763	Pull	Brass	L90mm x W32mm x D22mm	64mm

Ascot

64cc Ribbed Cup handle



Code	Type	Finish	Dimensions	Centres
SY3593	Pull	Brass	L106mm x W43mm x D25mm	64mm
SY3599	Pull	Black	L106mm x W43mm x D25mm	64mm

Ascot


Ribbed knob



Code	Type	Finish	Dimensions
SY3600	Knob	Brass	Dia28mm x D26mm
SY3594	Knob	Black	Dia28mm x D26mm

Cartmel

Contemporary D Handle



Code	Type	Finish	Dimensions	Centres
SY3609	Bar	Black	L170mm x D26mm	160mm
SY3605	Bar	Brushed Nickel	L170mm x D26mm	160mm
SY3607	Bar	Chrome	L170mm x D26mm	160mm
SY3610	Bar	Black	L330mm x D26mm	320mm
SY3606	Bar	Brushed Nickel	L330mm x D26mm	320mm
SY3608	Bar	Chrome	L330mm x D26mm	320mm

Newbury

Traditional T-knob & T-bar Handle



Code	Type	Finish	Dimensions	Centres
SY3620	Knob	Black	L47mm x D35mm	
SY3621	Bar	Black	L212mm x D35mm	160mm
SY3622	Bar	Black	L385mm x D35mm	320mm

Haydock

Shaker Bar Handle



Code	Type	Finish	Dimensions	Centres
SY3615	Bar	Brass	L170mm x D26mm	160mm
SY3618	Bar	Brushed Nickel	L170mm x D26mm	160mm
SY3612	Bar	Chrome	L170mm x D26mm	160mm
SY3616	Bar	Brass	L330mm x D26mm	320mm
SY3619	Bar	Brushed Nickel	L330mm x D26mm	320mm
SY3613	Bar	Chrome	L330mm x D26mm	320mm

Haydock

Square Shaker Knob Handle



Code	Type	Finish	Dimensions
SY3614	Knob	Brass	Dia29mm x D25mm
SY3617	Knob	Brushed Nickel	Dia29mm x D25mm
SY3611	Knob	Chrome	Dia29mm x D25mm

Windsor

Traditional D Handle



HARLEY & WAGER




Code	Type	Finish	Dimensions	Centres
SY2132	Bar	Black Chrome	L194mm x W15mm x D27mm	160mm
SY2133	Bar	Brass	L194mm x W15mm x D27mm	160mm
SY2130	Bar	Chrome	L194mm x W15mm x D27mm	160mm
SY2131	Bar	Satin Nickel	L194mm x W15mm x D27mm	160mm

Windsor

Traditional Knob Handle



HARLEY & WAGER



Code	Type	Finish	Dimensions
SY2136	Bar	Black Chrome	L35mm x W18mm x H22mm
SY2137	Bar	Brass	L35mm x W18mm x H22mm
SY2134	Bar	Chrome	L35mm x W18mm x H22mm
SY2135	Bar	Satin Nickel	L35mm x W18mm x H22mm

Ripon

Knurled Designer Bar Handle



Code	Type	Finish	Dimensions	Centres
SY3712	Bar	Black	L182mm x D32mm	160mm
SY3713	Bar	Brass	L182mm x D32mm	160mm
SY3714	Bar	Black	L342mm x D32mm	320mm
SY3715	Bar	Brass	L342mm x D32mm	320mm
SY3907	Bar	Black	L1000mm x D32mm	978mm
SY3908	Bar	Black	L1000mm x D32mm	978mm
SY3716	Knobs	Black	L32mm x D29mm	
SY3717	Knobs	Brass	L32mm x D29mm	

Kelso

Profile Lip Handle



Code	Type	Finish	Dimensions	Centres
SY3917	Pull	Black	L40mm x D40mm	16mm
SY3916	Pull	Chrome	L40mm x D40mm	16mm
SY3888	Pull	Black	L100mm x D40mm	70mm
SY3915	Pull	Chrome	L100mm x D40mm	70mm
SY3687	Pull	Black	L160mm x D40mm	128mm
SY3689	Pull	Brass	L160mm x D40mm	128mm
SY3861	Pull	Black	L200mm x D40mm	128mm
SY3688	Pull	Black	L320mm x D40mm	288mm
SY3690	Pull	Brass	L320mm x D40mm	288mm
SY3862	Pull	Black	L800mm x D40mm	768mm
SY3863	Pull	Brass	L800mm x D40mm	768mm

EPSOM

Knurled Bar Handle



HARLEY & WAGER



Code	Type	Finish	Dimensions	Centres
SY3852	Bar	Brushed Pewter	L190mm x D34mm	160mm
SY3853	Bar	Brushed Pewter	L350mm x D34mm	320mm
SY3720	Bar	Black	L190mm x D34mm	160mm
SY3766	Bar	Black	L350mm x D34mm	320mm
SY3721	Bar	Brass	L190mm x D34mm	160mm
SY3765	Bar	Brass	L350mm x D34mm	320mm

EPSOM

Knurled Knob Handle




HARLEY & WAGER



Code	Type	Finish	Dimensions
SY3722	Knob	Black	Dia32mm x D29mm
SY3723	Knob	Brass	Dia32mm x D29mm
SY3854	Knob	Brushed Pewter	Dia32mm x D29mm

LUDLOW


T-Bar Handle



Code	Type	Finish	Dimensions	Centres
SY3693	Bar	Black	L171mm x D29mm	128mm
SY3867	Bar	Black	L203mm x D29mm	160mm
SY3694	Bar	Black	L362mm x D29mm	320mm
SY3695	Bar	Chrome	L171mm x D29mm	128mm
SY3866	Bar	Chrome	L203mm x D29mm	160mm
SY3696	Bar	Chrome	L362mm x D29mm	320mm

LUDLOW

T-Knob Handle



Code	Type	Finish	Dimensions
SY3691	Knob	Black	Dia30mm x D21mm
SY3692	Knob	Chrome	Dia30mm x D21mm

HEXHAM

T-Bar Handle



HARLEY & WAGER



Code	Type	Finish	Dimensions	Centres
SY3683	Bar	Black Nickel	L222mm x D32mm	160mm
SY3684	Bar	Black Nickel	L362mm x D32mm	320mm
SY3685	Bar	Chrome	L222mm x D32mm	160mm
SY3686	Bar	Chrome	L362mm x D32mm	320mm

HEXHAM

T-Knob Handle



HARLEY & WAGER



Code	Type	Finish	Dimensions
SY3681	Knob	Black Nickel	Dia50mm x D32mm
SY3682	Knob	Chrome	Dia50mm x D32mm

STRATFORD


T-Bar Handle



Code	Type	Finish	Dimensions	Centres
SY3701	Bar	Black Nickel	L222mm x D32mm	160mm
SY3702	Bar	Black Nickel	L362mm x D32mm	320mm
SY3703	Bar	Chrome	L222mm x D32mm	160mm
SY3704	Bar	Chrome	L362mm x D32mm	320mm

STRATFORD

T-Knob Handle



Code	Type	Finish	Dimensions
SY3699	Knob	Satin Nickel	Dia28mm x D28mm
SY3700	Knob	Brass	Dia28mm x D28mm

Slimline Bar Handle



Code	Type	Finish	Dimensions	Centres
SY1015	Bar	Brushed Nickel	L152mm x D27mm	128mm
SY1016	Bar	Brushed Nickel	L190mm x D27mm	160mm
SY1017	Bar	Brushed Nickel	L222mm x D27mm	192mm
SY1018	Bar	Brushed Nickel	L290mm x D27mm	256mm
SY1019	Bar	Brushed Nickel	L358mm x D27mm	320mm
SY9964H	Bar	Chrome	L120mm x D27mm	96mm
SY1020	Bar	Chrome	L152mm x D27mm	128mm
SY9965H	Bar	Chrome	L190mm x D27mm	160mm
SY9966H	Bar	Chrome	L222mm x D27mm	192mm
SY9968H	Bar	Chrome	L358mm x D27mm	320mm
SY2857	Bar	Black	L152mm x D27mm	128mm
SY2858	Bar	Black	L190mm x D27mm	160mm
SY2859	Bar	Black	L358mm x D27mm	320mm
SY3148	Bar	Brass	L152mm x D27mm	128mm
SY2880	Bar	Brass	L190mm x D27mm	160mm
SY3149	Bar	Brass	L358mm x D27mm	320mm
SY2860	Bar	Copper	L152mm x D27mm	128mm
SY2854	Bar	American Copper	L152mm x D27mm	128mm
SY2855	Bar	American Copper	L190mm x D27mm	160mm
SY2856	Bar	American Copper	L358mm x D27mm	320mm

76cc Cup Handle



Code	Type	Finish	Dimensions	Centres
SY2852	Pull	Chrome	L85mm x D22mm	76mm
SY2871/BAB	Pull	Brushed Antique Brass	L85mm x D22mm	76mm
SY2851	Pull	American Copper	L85mm x D22mm	76mm

76cc Cup Handle



Code	Type	Finish	Dimensions	Centres
SY2820	Pull	Black	L93mm x D29mm	76mm

Black 76cc Classic Cup Handle



Code	Type	Finish	Dimensions	Centres
SY2853	Pull	Black	L90mm x D28mm	76mm

64cc Shaker Cup Handle



Code	Type	Finish	Dimensions	Centres
SY9893	Pull	Brushed Nickel	L105mm x D20mm	64mm
SY9800	Pull	Antique Copper	L105mm x D20mm	64mm

38mm Round Knob Handle




Code	Type	Finish	Dimensions
SY9884	Knob	Brushed Nickel	Dia38mm x D26mm
SY3138	Knob	Black	Dia38mm x D26mm
SY2881	Knob	Brass	Dia38mm x D26mm
SY2869	Knob	Matt Copper	Dia38mm x D26mm
SY2845	Knob	American Copper	Dia38mm x D26mm
SY9801	Knob	Antique Copper	Dia38mm x D26mm

33mm Round Knob Handle



Code	Type	Finish	Dimensions
SY2850	Knob	Chrome	Dia33mm x D26mm
SY2849	Knob	Black	Dia33mm x D26mm
SY3145	Knob	Brass	Dia33mm x D26mm
SY2848	Knob	Gloss Copper	Dia33mm x D26mm
SY2847	Knob	Matt Copper	Dia33mm x D26mm
SY2848/BAB	Knob	Brushed Antique Brass	Dia33mm x D26mm
SY2846	Knob	American Copper	Dia33mm x D26mm

Profile Handle



Code	Type	Finish	Dimensions	Centres
SY2824	Pull	Black	L240mm x D25mm	96/128mm
SY2825	Pull	Champagne	L240mm x D25mm	96/128mm
SY2827	Pull	Champagne	L240mm x D27mm	96/128mm
SY3121	Pull	Black	L250mm x D25mm	160mm

Indent D Handle



Code	Type	Finish	Dimensions	Centres
SY2376	Bar	Brushed Nickel	L114mm x W18mm x D24mm	96mm
SY2377	Bar	Brushed Nickel	L146mm x W18mm x D24mm	128mm
SY2378	Knob	Brushed Nickel	Dia40mm x D20mm	-

Ribbed Bar Handle



Code	Type	Finish	Dimensions	Centres
SY0212	Bar	Brass	L224mm x D35mm	160mm
SY0213	Bar	Black	L224mm x D35mm	160mm
SY0215	Bar	Satin Nickel	L224mm x D35mm	160mm
SY3784	Bar	Brass	L384mm X D35mm	320mm
SY3785	Bar	Black	L384mm X D35mm	320mm
SY3786	Bar	Satin Nickel	L384mm X D35mm	320mm

Ribbed Knob Handle



Code	Type	Finish	Dimensions
SY0208	Knob	Black	Dia30mm x D30mm
SY0209	Knob	Brass	Dia30mm x D30mm
SY0210	Knob	Satin Nickel	Dia30mm x D30mm

Knurled T-Bar Handle




Code	Type	Finish	Dimensions	Centres
SY3118	Bar	Black	L187mm x D35mm	128mm
SY3132	Bar	Black	L219mm x D35mm	160mm
SY3133	Bar	Black	L379mm x D35mm	320mm

Knurled T Knob Handle



Code	Type	Finish	Dimensions
SY3134	Knob	Black	L60mm x D35mm

Knurled Bar Handle



Code	Type	Finish	Dimensions	Centres
SY2154	Bar	Brass	L200mm x D35mm	160mm
SY2156	Bar	Bronze	L200mm x D35mm	160mm
SY2155	Bar	Satin Nickel	L200mm x D35mm	160mm
SY3781	Bar	Brass	L360mm x D35mm	320mm
SY3782	Bar	Bronze	L360mm x D35mm	320mm
SY3783	Bar	Satin Nickel	L360mm x D35mm	320mm

Knurled Knob Handle



Code	Type	Finish	Dimensions
SY2151	Knob	Brass	Dia28mm x D30mm
SY2153	Knob	Bronze	Dia28mm x D30mm
SY2152	Knob	Satin Nickel	Dia28mm x D30mm

Curved Pull Handle



Code	Type	Finish	Dimensions	Centres
SY2821	Bar	Black	L234mm x D31mm	192mm

Strap Handle



Code	Type	Finish	Dimensions	Centres
SY9932H	Bar	Chrome	L240mm x D30mm	160mm



Storage Solutions

Larder Unit with Solid Base Baskets

INFORMATION

Anthracite Finish
 Available for 300mm or 400mm tall cabinets
 Square wire
 Soft close
 6 solid base baskets with anti-slip mats
 Load capacity: 80kg
 Adjustable Height
 Tall and Mid-High larders available



NOVUS

Code	Cabinet Size	Finish	Dimensions
SY9602SC	300mm	Anthracite	D500mm x W240mm x H1920 - 2250mm
SY9603SC	400mm	Anthracite	D500mm x W340mm x H1920 - 2250mm
SY3879	300mm	Anthracite	D500mm x W240mm x H1560 - 1860mm
SY3880	400mm	Anthracite	D500mm x W345mm x H1560 - 1860mm

Universal Base Unit Pull-out with Solid Base Baskets

INFORMATION

Anthracite Finish
 Available for 150mm or 300mm base cabinets
 Square wire
 Soft close
 2 solid base basket
 Load capacity: 25kg



NOVUS

Code	Cabinet Size	Finish	Dimensions
SY9627SC	150mm	Anthracite	D475mm x W95mm x H520mm
SY9633SC	300mm	Anthracite	D475mm x W245mm x H525mm

Universal Magic Corner

INFORMATION

- Anthracite finish
- Square wire
- 4 x solid base shelves
- Universal
- For 900mm - 1000mm base unit
- 500mm cabinet depth
- Load capacity 40KG
- Soft close

NOVUS



Code	Cabinet Size	Finish	Minimum Door Size
SY10010	900-1000mm	Anthracite	450mm

Universal Magic Corner

INFORMATION

- Anthracite Finish
- Available for 800mm or 900mm base cabinets
- Square wire
- Soft close
- 4 solid base baskets
- Load capacity: 40kg

NOVUS



Code	Cabinet Size	Finish	Dimensions	Door Size
SY2138	800mm	Anthracite	W620mm x D485mm x H610mm	400mm
SY2139	900mm	Anthracite	W660mm x D485mm x H610mm	450mm

3/4 Corner Carousel

INFORMATION

Anthracite Finish
 Available for 800mm or 900mm base cabinets
 Square wire
 2 solid base baskets
 500 cabinet depth
 Adjustable height 560-790mm
 40kg load capacity

NOVUS

Code	Cabinet Size	Finish
SY0955	800mm	Anthracite
SY0956	900mm	Anthracite



Half Corner Carousel

INFORMATION

Anthracite finish
 For 900mm cabinet
 Height adjustment: 560mm-790mm
 500mm cabinet depth
 40kg load capacity
 2 x solid base baskets

NOVUS

Code	Cabinet Size	Finish
SY9575	900mm	Anthracite



Solid Base Kidney Pull-Out Corner Organiser

INFORMATION

- Anthracite Finish
- Available for 800mm or 900mm base cabinets
- Square wire
- Soft close
- 2 solid base baskets
- Load capacity: 40kg

NOVUS



Code	Cabinet Size	Door Size	Finish	Hand
SY0950	800mm	400mm	Anthracite	Left
SY0951	800mm	400mm	Anthracite	Right
SY0952	900mm	450mm	Anthracite	Left
SY0953	900mm	450mm	Anthracite	Right
SY0966	1000mm	500mm	Anthracite	Left
SY0965	1000mm	500mm	Anthracite	Right

Solid Base Pull-down Storage Unit

INFORMATION

- For 600mm or 800mm wide cabinets
- Load capacity: 8kg per self
- Anthracite finish
- Cabinet depth: 300mm

NOVUS



Code	Cabinet Size	Finish
SY0175	600mm	Anthracite
SY0176	800mm	Anthracite

Solid Base Cabinet Basket

INFORMATION

Round anthracite wire and anthracite base

Soft close

Adjustable for 15mm and 18mm boards

Sizes to suit 300mm to 600mm cabinets



Code	Cabinet Size	Finish
SY2900/Grey	300mm	Anthracite
SY2901/Grey	400mm	Anthracite
SY2902/Grey	500mm	Anthracite
SY2903/Grey	600mm	Anthracite

White Solid Base Cabinet Basket

INFORMATION

Round chrome wire and white base

Soft close

Adjustable for 15mm and 18mm boards

Sizes to suit 300mm to 600mm cabinets



Code	Cabinet Size	Finish
SY2900	300mm	Chrome
SY2901	400mm	Chrome
SY2902	500mm	Chrome
SY2903	600mm	Chrome

Chrome Wire Base Cabinet Basket

INFORMATION


Round chrome wire

Soft close

Adjustable for 15mm and 18mm boards

Sizes to suit 300mm to 900mm cabinets

Code	Cabinet Size	Finish
SY9999	300mm	Chrome
SY10000	400mm	Chrome
SY10001	500mm	Chrome
SY10002	600mm	Chrome
SY10004	900mm	Chrome



14 Litre Waste Bin


INFORMATION

Minimum 350mm wide cabinets

Stainless steel & black finish

Universal (able to be fitted on left or right side of the cabinet)


Code	Cabinet Size	Finish
SY7750	350mm	Stainless Steel / Black



90 Litre Soft Close Waste Bin

INFORMATION

For 600mm wide cabinets
Includes 2 x 45ltr compartments
Anthracite finish
Door fix
Heavy duty soft closing runners
Load capacity: 45kg




Code	Cabinet Size	Finish
SY7758	600mm	Anthracite



68 Litre Soft Close Waste Bin

INFORMATION

For 600mm wide cabinets
Includes 1 x 34ltr and 2 x 17ltr compartments
Load capacity: 25kg
Anthracite finish
Base fix
Soft closing runners




Code	Cabinet Size	Finish
SY7757	600mm	Anthracite



68 Litre Soft Close Waste Bin

INFORMATION

- For 500mm wide cabinets
- Includes 2 x 34ltr compartments
- Anthracite finish
- Door fix
- Soft closing runners
- Load capacity: 25kg




Code	Cabinet Size	Finish
SY7756/2	500mm	Anthracite



40 Litre Soft Close Waste Bin

INFORMATION

- For 400mm wide cabinets
- Includes 1 x 20ltr and 2 x 10ltr compartments
- Load capacity: 25kg
- Anthracite finish
- Base fix
- Soft closing runners



Code	Cabinet Size	Finish
SY7753	400mm	Anthracite



30 Litre Soft Close Waste Bin

INFORMATION

For 300mm wide cabinets


Includes 1 x 10ltr & 1 x 20ltr compartments

Load capacity: 25kg

Anthracite finish

Base fix

Soft closing runners



Code	Cabinet Size	Finish
SY7754	300mm	Anthracite



30 Litre Soft Close Waste Bin

INFORMATION

For 300mm wide cabinets


Includes 3 x 10ltr compartments

Load capacity: 25kg

Anthracite finish

Base fix

Soft closing runners



Code	Cabinet Size	Finish
SY7755	300mm	Anthracite





Lighting

Venta

LUXOSLED
supplied by SPL Components Ltd

TECHNICAL INFO

IP Rating	IP20
Wattage	2.3W
Cable Length	1.5m
Cut Out Size	57mm
Power Supply	12v
15W driver (SP3400) runs 6 lights	

Recessed


SP3000BN/NW | Brushed Nickel/Natural White
SP3000BN/WW | Brushed Nickel/Warm White
SY3000BK | Black/Natural White

X2 Kit

SP3004BN

x3 Kit

SP3005BN



Surface Mounted

SP3001BN/NW | Brushed Nickel/Natural White
SP3001BN/WW | Brushed Nickel/Warm White
SP3001BK | Black/Natural White

X2 Kit

SP3023BN

x3 Kit

SP3024BN



Tri-Light


SP3003BN/NW | Brushed Nickel/Natural White
SP3003BN/WW | Brushed Nickel/Warm White
SP3003BL/NW | Black/Natural White

X2 Kit

SP3008BN

X3 Kit

SP3009BN



Designer Tri-light


SP3002BN/NW | Brushed Nickel/Natural White
SP3002BN/WW | Brushed Nickel/Warm White
SP3002BK | Black/Natural White

X2 Kit

SP3006BN

X3 Kit

SP3007BN



Saturn

LUXOSLED
supplied by SPL Components Ltd


TECHNICAL INFO

IP Rating	IP44
Wattage	1.8W
Cable Length	1.5m
Cut Out Size	58mm
Power Supply	12v
15W driver (SP3400) runs 6 lights	

Recessed

SP3017BN/NW | Brushed Nickel/Natural White
SP3017BN/WW | Brushed Nickel/Warm White


X2 Kit
SP3076
x3 Kit
SP3077



Surface Mounted

SP3047BN/NW | Brushed Nickel/Natural White
SP3047BN/WW | Brushed Nickel/Warm White


X2 Kit
SP3078
x3 Kit
SP3079



Tri-Light

SP3049NW | Brushed Nickel/Natural White
SP3049WW | Brushed Nickel/Warm White


X2 Kit
SP3082
x3 Kit
SP3083



Designer Tri-Light

SP3048NW | Brushed Nickel/Natural White
SP3048WW | Brushed Nickel/Warm White

X2 Kit
SP3080
x3 Kit
SP3081



Turin

LUXOSLED
supplied by SPL Components Ltd


TECHNICAL INFO

IP Rating	IP44
Wattage	1.8W
Cable Length	1.5m
Cut Out Size	58mm
Power Supply	12v
15W driver (SP3400) runs 6 lights	

Recessed

SP3010BN/CW | Brushed Nickel/Cool White
 SP3010CC/CW | Chrome/Cool White
 SP3010BN/WW | Brushed Nickel/Warm White
 SP3010CC/WW | Chrome/Warm White

X2 Kit
SP3069
X3 Kit
SP3070



Surface Mounted

SP3011BN/CW | Brushed Nickel/Cool White
 SP3011CC/CW | Chrome/Cool White
 SP3011BN/WW | Brushed Nickel/Warm White
 SP3011CC/WW | Chrome/Warm White


X2 Kit
SP3071
X3 Kit
SP3072



Tri-Light

SP3056CW | Brushed Nickel/Cool White
 SP3056WW | Brushed Nickel/Warm White


X2 Kit
SP3075
X3 Kit
SP3057



Designer Tri-Light

SP3012CW | Brushed Nickel/Cool White
 SP3012WW | Brushed Nickel/Warm White

X2 Kit
SP3073
X3 Kit
SP3074



Genoa Trio-White



TECHNICAL INFO	
IP Rating	IP20
Wattage	2.6W
Cable Length	1.5m
Power Supply	240v
Colour Temperature	3 CCT (Warm, Natural and Cool white)
Driver NOT Required	

Recessed

SP3018BN/TRIO
SP3018BK/TRIO

Brushed Nickel
Black



Surface Mounter

SP3045BN/TRIO


Brushed Nickel



Tri-Light

SP3046BN/TRIO
SP3046BK/TRIO

Brushed Nickel
Black




Hestia

LUXOSLED
supplied by SPL Components Ltd

TECHNICAL INFO

IP Rating	IP20
Wattage	3.5W
Cable Length	1.5m
Thickness	4mm
Power Supply	12v
15W driver (SP3400) runs 4 lights	



Rectangle

SP3015NW | Aluminium/Natural White
SP3015BK/NW | Black/Natural White

X2 Kit



SP3015NW/2KIT

X3 Kit

SP3015NW/3KIT

Square



SP3055NW | Aluminium/Natural White



Selene

LUXOSLED
supplied by SPL Components Ltd

TECHNICAL INFO	
IP Rating	IP20
Wattage	3.5W
Cable Length	1.5m
Thickness	4mm
Power Supply	12v
15W driver (SP3400) runs 4 lights	





Surface Mounted	
SP3020NW	Brushed Nickel/Natural White
SP3020WW	Brushed Nickel/Warm White
SP3020BL/NW	Black/Natural White
SP3020BL/WW	Black/Warm White
X2 Kit	
SP3084NW	
X3 Kit	
SP3085NW	

Iris

LUXOSLED
supplied by SPL Components Ltd

TECHNICAL INFO

IP Rating	IP20
Wattage	2W
Cable Length	1.5m
Power Supply	12v
15W driver (SP3400) runs 6 lights	



SP3034BN/NW
SP3034BN/WW
SP3034BL/NW
SP3034BL/WW

Brushed Nickel/Natural White
Brushed Nickel/Warm White
Black/Natural White
Black/Warm White

X2 Kit
SP3088/NW
X3 Kit
SP3089/NW

4W IP65 Flexible LED Strip

LUXOSLED
 supplied by SPL Components Ltd

TECHNICAL INFO	
IP Rating	IP65
Wattage	4W per metre
Cable Length	2m
Cut marks	50mm
No. of LEDs per metre	60
Power Supply	12v
VHB Tape	Yes
Strip Length	5m
15W driver (SP3400) will run up to 3m	




SP3202NW	1m Natural White
SP3203NW	2m Natural White
SP3204NW	3m Natural White
Kits	
SP3202NW/KIT	
SP3203NW/KIT	
SP3204NW/KIT	

5M IP20 Flexible LED Strip

LUXOSLED
supplied by SPL Components Ltd

TECHNICAL INFO	
IP Rating	IP20
Wattage	4W per metre
Cable Length	2 x 2m Cables (one on each end)
Cut marks	25mm
No. of LEDs per metre	120
Power Supply	12v
VHB Tape	Yes
Strip Length	5m
20W driver (SP3401) can run this strip	



SP3200NW
SP3200WW
SP3211

Kits
SP3200NW/Kit



Natural White
Warm White
2m Reconnection Cable

Can only reconnect on the strip where the cut marks are




LUXOSLED
supplied by SPL Components Ltd

TECHNICAL INFO	
IP Rating	IP20
Wattage	4W per metre
Cable Length	2 x 2m Cables (one on each end)
Cut marks	25mm
No. of LEDs per metre	320
Power Supply	12v
VHB Tape	Yes
Strip Length	5m
20W driver (SP3401) can run this strip	




SP3205NW SP3205WW SP3207	Natural White Warm White 2m Reconnection Cable
Kits SP3205NW/KIT	

Can only reconnect on the strip where the cut marks are




Icarus

LUXOSLED
supplied by SPL Components Ltd



TECHNICAL INFO	
IP Rating	IP20
Wattage	1.5W per metre
Cable Length	2 x 2m Cables (one on each end)
Cut marks	25mm
No. of LEDs per metre	320
Power Supply	12v
VHB Tape	Yes
Strip Length	5m
Diffused	Yes
15W driver (SP3400) can run this strip	




SP3212NW
SP3212WW


Natural White
Warm White

Aluminium Profiles

LUXOSLED
 supplied by SPL Components Ltd



SP3600	1m Surface Mounted Extrusion Including Diffuser & End Caps	Aluminium
SP3600BK	1m Surface Mounted Extrusion Including Diffuser & End Caps	Black
SP3600/2M	2m Surface Mounted Extrusion Including Diffuser & End Caps	Aluminium
SP3600BK/2M	2m Surface Mounted Extrusion Including Diffuser & End Caps	Black




SP3601	1m Recessed Extrusion Including Diffuser & End Caps	Aluminium
SP3601BK	1m Recessed Extrusion Including Diffuser & End Caps	Black
SP3601/2M	2m Recessed Extrusion Including Diffuser & End Caps	Aluminium
SP3601BK/2M	2m Recessed Extrusion Including Diffuser & End Caps	Black

Udine

LUXOSLED
 supplied by SPL Components Ltd

TECHNICAL INFO	
IP Rating	IP67
Wattage	0.2W
Cable Length	1.5m
Power Supply	12v
Driver included	



- 10x Recessed Plinth Light Kit

SP3021BN/CW

SP3021BN/WW

Brushed Nickel/Cool White

Brushed Nickel/Warm White

4x Recessed Plinth Light Kit

SP3022BN/CW

SP3022BN/WW

Brushed Nickel/Cool White

Brushed Nickel/Warm White


Comet

LUXOSLED
supplied by SPL Components Ltd




4x Recessed Plinth Light Kit
SP3014/NW Brushed Nickel/Natural White
SP3014/WW Brushed Nickel/Warm White


TECHNICAL INFO	
IP Rating	IP44
Wattage	1W
Cable Length	2m
Power Supply	12v
Driver included	
4 light kit	



Ariel



4x Surface Mounted Plinth Light Kit
SP3016/NW Brushed Nickel/Natural White




Interro Trio-White

LUXOSLED
supplied by SPL Components Ltd

Ceiling Light	
SP3300WH	White
Additional Bezels	
SP3301/CC	Chrome
SP3301/BN	Brushed Nickel
SP3301/G	Gold
SP3301/BK	Black

TECHNICAL INFO	
IP Rating	IP65
Wattage	8W
Dimmable	Yes
Power Supply	240v
Colour temperature	3CCT (Warm, Natural, Cool White)
Fire rated	Yes



Pop-Up Socket Tower

LUXOSLED
supplied by SPL Components Ltd

Recessed

SP3113SS
SP3113BK

Stainless Steel Top
Black Top


TECHNICAL INFO

IP Rating	IP20
Wattage	3.5W
Cable Length	1.5m
Cut out	102mm
3 x 3 pin UK plug sockets	
1 x USB-A & 1 x USB-C socket	
Tension adjuster included	



Sensor

LUXOSLED
supplied by SPL Components Ltd



INFORMATION

Code: SP3250
Infrared door sensor with swipe function
Dimension: H12mm x W14mm x L62mm
Mounting: Recessed or surface
Cut out size for recessed fitting: 14mm
Wattage capacity: 12V - 15W / 24V - 30W
Power supply: 12V or 24V



INFORMATION

Code: SP3260
PIR motion sensor with adjustable timer
Mounting: Recessed or surface
Wattage capacity: 12V - 100W / 24V - 200W
Power supply: 12V or 24V
Timer: Can be adjusted from 30 - 150 seconds
Sensor distance: Up to 3m
Sensor range: 120 degrees
Sensor cable length: 2m
Input cable length: 1m with connector
Output cable length: 1m with connector
To connect more than one light use a SP3215 distribution block




INFORMATION

Code: SP3215
Distribution block for LED lighting sensor
Connects up to 6 lights


4 Zone Control System

LUXOSLED
supplied by SPL Components Ltd



SP3750
SP3753
SP3754
SP3751

Remote control with magnetic holster - Black
Remote control (no holster) - White
Wall mounted control panel - Black
Wall mounted control panel - White



SP3755
SP3752

Standard Receiver
Wi-Fi receiver (does not require a remote. Can connect to Alexa and Google. Download app on smart device)

Plug & Play Drivers

LUXOSLED
supplied by SPL Components Ltd



SP3400
SP3401

15W Plug & Play Driver for 12Vdc LED Lighting
20W Plug & Play Driver for 12Vdc LED Lighting

INFORMATION

Includes distribution block that can connect up to 6 lights
Plug-and-play system (lights simply plug in to the driver)
Stripped end wires to connect in to 240V mains supply



SP3208
SP3208/5M

2m extension cables for 12V cabinet lighting
5m extension cables for 12V cabinet lighting

Loire



LUXOSLED
supplied by SPL Components Ltd

TECHNICAL INFO	
IP Rating	IP44
Power Supply	240v
Diffused Boarder	Yes
Shaver Socket	Yes
Touch Sensor	Yes
Demister	Yes (Activated when light is on)
Colour Temperature	4000K

SP3500	500mm x 700mm
SP3501	390mm x 500mm

Vienna



LUXOSLED
supplied by SPL Components Ltd

TECHNICAL INFO	
IP Rating	IP44
Power Supply	240v
Diffused Boarder	Yes
Orientation	Portrait & Landscape
Touch Sensor	Yes
Demister	Yes (Activated when light is on)
Colour Temperature	4000K

SP3502	800mm x 600mm
SP3503	700mm x 500mm

Kiev



LUXOSLED
supplied by SPL Components Ltd

TECHNICAL INFO	
IP Rating	IP44
Power Supply	240v
Diffused Boarder	Yes
Touch Sensor	Yes
Demister	Yes (Activated when light is on)
Colour Temperature	4000K

SP3504	600mm
--------	-------

Paris



LUXOSLED
supplied by SPL Components Ltd

TECHNICAL INFO	
IP Rating	IP44
Power Supply	240v
Diffused Boarder	Yes
Touch Sensor	Yes
Colour Temperature	4000K

SP3505	500mm x 390mm
--------	---------------

Odesa



LUXOSLED
supplied by SPL Components Ltd

TECHNICAL INFO	
IP Rating	IP44
Power Supply	240v
Diffused Boarder	Yes
Touch Sensor	Yes
Demister	Yes (Activated when light is on)
Colour Temperature	4000K
Black Outer Rim	Yes

SP3506	600mm
--------	-------

Corinth



LUXOSLED
supplied by SPL Components Ltd

TECHNICAL INFO	
IP Rating	IP44
Power Supply	240v
Diffused Boarder	Yes
Touch Sensor	Yes
Demister	Yes (Activated when light is on)
Colour Temperature	4000K
Black Outer Rim	Yes

SP3507	500mm x 700mm
--------	---------------



Terms & Conditions

1. DEFINITIONS: a) The "seller" means SPL Components Ltd. b) The "buyer" means the person who buys or agrees to buy the goods from the seller. c) The "goods" means all items which the buyer agrees to buy from the seller.
2. GENERAL: Orders are only accepted subject to the Conditions of Sale set out below and the seller shall not be bound by any other terms, written, verbal or implied, or which are conditions customary in the trade and whether contained in customer's order or not. These conditions shall apply unless expressly varied by the seller in writing.
3. TERMS: Credit accounts are nett strictly within 30 days. Interest at a rate of 3% per annum above HSBC Back Plc base rate, together with any expenses incurred in collecting payments, will be added to the agreed price in respect of any part thereof not paid, on or before the due date. Where a new account is to be opened two trade references are required. The seller has the right to discontinue delivery without notice if the buyer defaults in payment, or if circumstances warrant such discontinuance. The seller also has the right to refuse credit terms to a buyer for any reason. Pro-forma orders will only be delivered when the seller has received payment in full, including confirmed clearance of any cheque.
4. PRICES: Whilst every endeavour will be made to deliver at the prices quoted, the seller reserves the right to invoice at the price ruling at the date of delivery. All prices are subject to VAT at the rate prevailing at the date of invoice.
5. RISK AND DELIVERY: a) Goods are delivered to the buyer when the seller makes them available to the buyer (or any agent of the buyer) at the seller's premises or other delivery point agreed by the seller and risk in the goods passes when they are delivered to the buyer. B) The seller shall not be liable for any penalty, loss, injury, damage or failure in delivery from any cause at all nor shall any such delay or failure entitle for any buyer to refuse to accept any delivery or to repudiate the contract. C) Any dates quoted by the seller for delivery of the goods are approximate only and shall not form part of the contract and the buyer acknowledges that in the performance expected of the seller no regard has been paid to any quoted delivery dates.
6. CARRIAGE: Carriage charges will be subject to size/weight of the consignment. All offshore islands and EC countries will incur a separate delivery charge, based on the weight of the total order. Please note that administration and delivery charges are subject to change without prior notice.
7. CLAIMS: Claims must be notified in writing within seven days of receipt, otherwise responsibility cannot be accepted. The seller's liability shall be limited to, at the seller's option, replacing the goods or refunding the price of the goods. Under no circumstances shall the liability of the seller exceed the price of the goods. Replacements for damaged goods will be charged and credit issued on the return of the damaged goods to the seller in the original packaging.

8. RETENTION OF TITLE: a) In spite of delivery having been made, property in the goods shall not pass from the seller until payment in full of the price by the buyer. B) Notwithstanding delivery, property in the goods shall not pass from the seller until all other sums owed by the buyer to the seller have been paid in full. C) Until payment in full for the goods, the buyer shall hold the goods on a fiduciary basis as a bailee for the seller. D) Whilst the buyer has the right to dispose of the goods in the ordinary course of business on a bona fide sale without notice to the customer of the seller's rights hereunder, the entire proceeds of sale or otherwise of the goods shall be held in trust for the seller until payment in full for the goods. E) Until payment in full for the goods the buyer hereby grants the seller the right to enter any premises where the goods are stored in order to re-possess or inspect them.
9. BREACH AND INSOLVENCY: If the buyer breaches any condition of this contract or becomes subject to an Administration Order or becomes bank-rupt or has a receiver appointed for or distress is levied on any part of its assets or business or goes into liquidation or makes any composition with its creditors, the seller shall be entitled (whether in respect of this contract or any other) to: a) Withhold any further deliveries to the buyer and/or cancel the contract without liability; b) Appropriate any payment made by the buyer to such of the goods (whether supplied under this contract or any other) as the seller shall think fit; c) Immediate payment of all sums whatever, owing by the buyer to the seller notwithstanding any previous agreement to the contrary; d) Exercise any of its right pursuant to clause 8 above.
10. PRODUCT INFORMATION: Although the seller shall use its best endeavours to ensure that the information contained in the seller's catalogue is correct at the time of going to press, the seller shall not be under any liability for any damage, loss or expense resulting from any error or omission contained in the seller's catalogue. Goods supplied may vary in detail from the illustrations, drawings and descriptions (which are approximate and for guidance only) in the seller's catalogue as a result of improvements or modifications. Colour finishes will be maintained as accurately as possible, but matching cannot be guaranteed.
11. FORCE MAJEURE: The seller shall not be liable for any default due to any act of God, war, strikes, lockouts or other industrial action, difficulties in obtaining labour or parts, government or other restrictions or regulations or other event beyond the reasonable control of the seller.
12. LAW AND JURISDICTION: All disputes arising out of or in connection with the contract shall be governed by English law and the buyer accepts the jurisdiction of the Courts Of England.
13. RETURN AND RESTOCKING: When goods are agreed for a return or cancellation the buyer shall pay a handling or restocking charge to cover administration and inspection charges involved in reprocessing products back into stock. The charge will be subject to change without prior notice but is currently 25% of the invoiced value of the goods. Non standard and special items ordered by the buyer cannot be accepted for return



A: Units 4-6 Lockwood Park Industrial Estate, Leeds, LS11 5UX

E: sales@splcomponentsltd.co.uk

T: 0113 271 3200

Version 1.3